

COMBINATION HEX/ROUND SHANK CAR REAMERS

ICS

WIS

HEAVY DUTY

RIGHT HAND CUT

SAFETY STYLE
1-1/4 HEX SHANK ADAPTER



LEFT HAND
FLUTE

FAST SPIRAL

High Speed Steel Combination Hex/Round Shank Car Reamers can be used with ANY 1/2" 3 jaw power tool or in portable pneumatic equipment. They are designed for lining up holes in structural steel fabrication, bridgework, ship construction, automotive maintenance, and railroad manufacturing. Short length makes it useful in close quarters. Safety Style 1-1/4" hex shank size requires only one size square drive impact wrench socket to use. All ICS Safety Style Hex Shank Reamers are designed to protect against the danger and loss of falling objects such as a reamer. See OSHA 29CFR Part 1926.759 (falling object protection).

SIZE	DEC. EQUIV.	SHANK DIA. x LENGTH	FLUTE LENGTH	OVERALL LENGTH	ITEM NO.	PRICE
5/16	.3125	1/2 x 1-1/2	2-3/4	4-5/8	CR-HXC020	\$ 66.18
3/8	.3750	1/2 x 1-1/2	2-3/4	4-5/8	CR-HXC024	66.18
7/16	.4375	1/2 x 1-1/2	3-1/2	5-3/8	CR-HXC028	66.18
1/2	.5000	1/2 x 1-1/2	4	5-7/8	CR-HXC032	71.26
9/16	.5625	1/2 x 1-1/2	4	5-7/8	CR-HXC036	75.36
5/8	.6250	1/2 x 1-1/2	4-1/2	6-3/8	CR-HXC040	80.90
11/16	.6875	1/2 x 1-1/2	4-1/2	6-3/8	CR-HXC044	87.62
3/4	.7500	1/2 x 1-1/2	5	6-7/8	CR-HXC048	100.04
13/16	.8125	1/2 x 1-1/2	5	6-7/8	CR-HXC052	101.64
7/8	.8750	1/2 x 1-1/2	5	6-7/8	CR-HXC056	106.10
15/16	.9375	1/2 x 1-1/2	5	6-7/8	CR-HXC060	110.02
1	1.0000	1/2 x 1-1/2	5	6-7/8	CR-HXC100	123.46
1-1/16	1.0625	1/2 x 1-1/2	5	6-7/8	CR-HXC104	139.14
1-1/8	1.1250	1/2 x 1-1/2	5	6-7/8	CR-HXC108	151.90
1-3/16	1.1875	1/2 x 1-1/2	5	6-7/8	CR-HXC112	162.34
1-1/4	1.2500	1/2 x 1-1/2	5	6-7/8	CR-HXC116	175.08
1-5/16	1.3125	1/2 x 1-1/2	5	6-7/8	CR-HXC120	187.82
1-3/8	1.3750	1/2 x 1-1/2	5	6-7/8	CR-HXC124	205.10
1-7/16	1.4375	1/2 x 1-1/2	5	6-7/8	CR-HXC128	216.44
1-1/2	1.5000	1/2 x 1-1/2	5	6-7/8	CR-HXC132	239.68

HEX SHANK CAR REAMERS

ICS

WIS

HEAVY DUTY

RIGHT HAND CUT

SAFETY STYLE
HEX SHANK



LEFT HAND
FLUTE

HELICAL FLUTE

High Speed Steel Hex Shank Car Reamers are designed to be used in portable pneumatic equipment for structural steel erection. Their short overall length makes them useful in close quarters. Hex shank sizes are the same as the socket size for the bolt being used in the reamed hole. They are sometimes referred to as Erector Reamers. All ICS Safety Style Hex Shank Reamers are designed to protect against the danger and loss of falling objects such as a reamer. See OSHA 29CFR Part 1926.759 (falling object protection).

SIZE	DEC EQUIV.	APPROX. POINT SIZE	HEX SHANK	FLUTE LENGTH	OVERALL LENGTH	ITEM NO.	PRICE
9/16	.5625	9/32	1-1/16	5	5-1/2	CR-HX036	\$ 66.50
11/16	.6875	3/8	1-1/16	4-1/2	6-1/2	CR-HX044	71.80
3/4	.7500	13/32	1-1/4	5	7	CR-HX048	81.80
13/16	.8125	15/32	1-1/4	5	7	CR-HX052	81.80
15/16	.9375	19/32	1-7/16	5	7	CR-HX060	89.34
1	1.0000	5/8	1-7/16	5	7	CR-HX100	100.36
1-1/16	1.0625	13/16	1-5/8	5	7	CR-HX104	108.00
1-1/8	1.1250	55/64	1-5/8	5	7	CR-HX108	120.00
1-3/16	1.1875	59/64	1-13/16	5	7	CR-HX112	162.50
1-1/4	1.2500	15/16	1-13/16	5	7	CR-HX116	170.00
1-5/16	1.3125	1-1/16	2	5	7-7/8	CR-HX120	194.56
1-3/8	1.3750	1-1/8	2	5	7-7/8	CR-HX124	210.00
1-1/2	1.5000	1-1/4	2	5	7-7/8	CR-HX132	230.00
1-9/16	1.5625	1-5/16	2	5	7-7/8	CR-HX136	294.36