



CUTTING TOOL SETS















ICS CUTTING TOOLS, INC

511 Main Street • Casco, WI 54205-0125 USA (920) 837-2526 • Fax (920) 837-2530 www.icscuttingtools.com • info@icscuttingtools.com

INDEX

| BORING | Jobber Length Drills | THREADING |
|---------------------------------------|--|--|
| | 7 PC (1/8 to 1/2 by 16ths)6 | |
| Boring Bar - Carbide Tipped39 | 11 PC (1/16 to 3/8 by 32nds)7 | Bolt & Nut Extractors24 |
| Mini Toolholder & Boring Bar39 | 11 PC (1.0 to 6.0 by 0.5mm)9 | Dies |
| | 13 PC (1/16 to 1/4 by 64ths)3 | Hex Rethreading Dies26 |
| COUNTERBORING | 15 PC (1/16 to 1/2 by 32nds)3 | Hex Rethreading Pipe Dies27 |
| | 19 PC (1.0 to 10.0 by 0.5mm)9 | Hex Threading Dies28 |
| Capscrew Counterbores18 | 20 PC (#61 to #80)7 | Ratcheting |
| Capscrew Counterbores - metric18 | 21 PC (1/16 to 3/8 by 64ths)4 | Pipe Threader37 |
| Interchangeable Pilot Counterbores18 | 21 PC (1/16-1/4 by 64ths • 9/32-1/2 by 32nds)4 | Tap & Die38 |
| | 25 PC (1.0 to 13.0 by 0.5mm)9 | Screw Extractors |
| COUNTERSINKING | 29 PC (1/16 to 1/2 by 64ths)5 | Broken Tap Extractors24 |
| | 26 PC (A to Z)8 | Screw Extractors23 |
| Combined Drill & Countersinks19 | 60 PC (#1 to #60)7 | Screw Extractors (Multi-Spline)23 |
| Countersinks19 | 115 PC (Fractional, Wire Gauge, & Letter sizes)8 | Screw Extractors & Drills23 |
| Indexable20 | Double Margin2 | Taps |
| | Fast Spiral1 | Model Airplane Taps36 |
| FILING | Slow Spiral1 | Taper Pipe Taps25 |
| | Quick Change Hex Shank Drills1 | Taper Pipe Taps - British Standard25 |
| Burs | Screw Machine Length Drills | Taps (dispenser only)33 |
| Solid Carbide44-45 | Cobalt1 | Taps & Drills |
| Files | High Speed Steel1 | 18 pc33 |
| American Pattern42 | Silver & Deming Drills | 335 pc (dispenser only)33 |
| External Thread Restoring43 | 3/8" Shank | Taps & Hex Dies |
| Needle42 | 8 PC (9/16 to 1 by 16ths)11 | 40pc29 |
| Precision43 | 1/2" Shank | 58pc30 |
| Rasps | 5 PC (1 to 1-1/2 by 8ths)10 | 65pc30 |
| Riffler43 | 8 PC (9/16 to 1 by 16ths)10 | 117pc31 |
| | 8 PC (13, 14, 16, 18, 20, 22, 24, & 25mm)11 | Pipe Taps & Hex Dies27 |
| MASONRY CUTTING | 8 PC (9/16 to 1 by 16ths) merchandiser11 | Taps & Round Dies |
| I I I I I I I I I I I I I I I I I I I | 13 PC (17/32 - 3/4 by 32nds)10 | 21pc34 |
| Masonry Drills | (13/16 - 1 by 16ths & 31/32) | 30pc (miniature)36 |
| Fast Spiral15 | 32 PC (33/64 to 1 by 64ths)10 | 45pc32 |
| Wide Spiral15 | Step Drills13 | Thread Box & Tap38 |
| Masonry Hammer Drills | Taper Length Drills12 | Thread Restoring Files & Automotive Taps |
| Ramset Shank15 | , | 54pc35 |
| SDS Shank15 | REAMING | 18pc35 |
| | | 13pc (metric)35 |
| METAL CUTTING | Adjustable Hand Reamers22 | l spo (sa.s) |
| | Adjustable Hand Reamers (Long Pilot)22 | UNIVERSAL CUTTING |
| Cutters | Automotive Reamers21 | |
| Annular14 | Chucking Reamers21 | Carbide Tipped Universal Drills15 |
| Spot Weld14 | Jobber Reamers21 | l carsus ripped contensal zone contensal |
| Drills | Silver & Deming Reamers20 | WOOD CUTTING |
| Aircraft Drills13 | Taper Pin Reamers21 | |
| Combined Drill & Countersinks13 | Tower Bolt Reamers22 | Brad Point Drills17 |
| Ground Drill Blanks2 | | Forstner Bits16 |
| Long Boy Drills12 | SAWING | Multi-Angle Drills16 |
| | | Multi-Spur Pipe Bits17 |
| | Hole Cutter Kit | Perfect Point Drills17 |
| | Carbide Tipped41 | Perfect Point Silver & Deming Drills17 |
| | Hole Saw Kits | Taper Point Drills17 |
| | Carbide Grit Edged41 | Wood Spade Bits16 |
| | Carbide Tipped41 | |
| | Built-in Arbor40 | |
| | Separate Arbor40 | |
| | | |
| | I | |

SCREW MACHINE LENGTH [STUB] DRILL SETS

METAL INDEX

| ILLUSTRATION | CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE |
|------------------|-----------------------------|---|------------|--------|
| (13 PC PICTURED) | 13 PC SETS | Bright Finish Stub Drills 135° S/Pt | DS-SMP-13 | 22.34 |
| | Sizes 1/16 to 1/4 by 64ths | Black Finish Stub Drills 135° S/Pt | DS-SMR-13 | 22.34 |
| | | Titanium Nitride Coated Stub Drills 135° S/Pt | DS-SMT-13 | 47.04 |
| | 15 PC SETS | Black Finish Stub Drills 135° S/Pt | DS-SMR-15 | 74.56 |
| | Sizes 1/16 to 1/2 by 32nds | | | |
| HI HOURSON | 29 PC SETS | Bright Finish Stub Drills 135° S/Pt | DS-SMP-29 | 108.20 |
| RUBB BERRESS. | Sizes 1/16 to 1/2 by 64ths | Black Finish Stub Drills 135° S/Pt | DS-SMR-29 | 110.54 |
| | | Titanium Nitride Coated Stub Drills 135° S/Pt | DS-SMT-29 | 268.14 |
| | | Gold Finish Stub Drills 135° S/Pt | DS-SMGF-29 | 128.72 |
| 10000 | | Cobalt Stub Drills 135° S/Pt | DS-SMC-29 | 239.90 |
| | 60 PC SETS | Bright Finish Stub Drills 135° S/Pt | DS-SMP-60 | 88.20 |
| | Wire Gauge Sizes 1 to 60 | Black Finish Stub Drills 135° S/Pt | DS-SMR-60 | 88.20 |
| ICS | 25 PC SETS Metric Sizes | Black Finish Stub Drills 135° S/Pt | DS-SMM-25 | 180.40 |
| | 1.00mm to 13.00mm by 0.50mm | | | |

HIGH SPEED STEEL

COBALT SCREW MACHINE LENGTH DRILL SETS

METAL INDEX

| CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE |
|--|---------------------------------------|-----------|--------|
| 29 PC SETS Sizes 1/16 to 1/2 by 64ths | Cobalt Stub Drills - 135° Split Point | DS-SMC-29 | 239.90 |

HIGH SPEED STEEL

FAST/SLOW SPIRAL JOBBER LENGTH DRILL SETS

METAL INDEX

| ILLUSTRATION | CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE |
|--------------|----------------------|------------------------------------|-----------|--------|
| | 29 PC SETS | Fast Spiral Jobber Drill - 118° Pt | DS-JDF-29 | 182.20 |
| ICS | 1/16 to 1/2 by 64ths | Slow Spiral Jobber Drill - 118° Pt | DS-JDS-29 | 210.66 |

1/4" QUICK CHANGE HEX SHANK DRILL SETS

PLASTIC INDEX

| CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE |
|-----------------------|---|-------------|-------|
| 10 PC SETS | 1/4" Hex Shank Drills - 118° Standard Point | DS-QHSD-10 | 39.32 |
| 1/16 to 5/32 by 64ths | 1/4" Hex Shank Drills - 135° Split Point | DS-QHSDH-10 | 43.84 |
| 3/16 to 1/4 by 32nds | | | |
| (Wt40 lbs.) | | | |

HIGH SPEED STEEL

DOUBLE MARGIN JOBBER LENGTH DRILL SETS

METAL INDEX

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|---------------------|--|--------------|--------|
| (Wt. 1.40 lbs.) | 7 PC SET 1/8 to 1/2 by 16ths Bright Finish Double Margin Jobber Drill 118° S/P | DS-JDDMHA-7 | 65.92 |
| ICS (Wt. 3.30 lbs.) | 25 PC SET 1/8 to 1/2 by 64ths Bright Finish Double Margin Jobber Drill 118° S/P | DS-JDDMHA-25 | 184.12 |

HIGH SPEED STEEL

GROUND DRILL BLANK SETS

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|--|------------------------------|----------|--------|
| | 13 PC SET | GDBS-13 | 23.00 |
| | 1/16 to 1/4 by 64ths | | |
| | 15 PC SET | GDBS-15 | 59.36 |
| | 1/16 to 1/2 by 32nds | | |
| ANNUALISATION | 29 PC SET | GDBS-29 | 102.58 |
| 1 6 7 3 3 3 3 3 4 7 3 3 4 | 1/16 to 1/2 by 64ths | | |
| 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 60 PC SET | GDBS-60 | 89.08 |
| | Wire Gauge Sizes: #1 to #60 | | |
| | 20 PC SET | GDBS-20 | 29.18 |
| | Wire Gauge Sizes: #61 to #80 | | |
| ALC COMPANIES OF THE PARTY OF T | 26 PC SET | GDBS-26 | 112.98 |
| -66 | Letter Sizes: A to Z | | |
| ICS | | | |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|---|---|-------------|-------|
| 13 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STEEL | | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-13 | 17.64 |
| | Bright Finish Jobber Drill 118° Pt | DS-JDP-13 | 18.24 |
| 80 | Black Finish Jobber Drill 118° Pt | DS-JDG-13 | 18.24 |
| 81122 | GENERAL PURPOSE - SPECIAL COATING - HIGH SPE | ED STEEL | |
| A 2 2 2 3 4 6 2 | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-13 | 48.22 |
| 41111111111 | Zirconium Nitride Coated Jobber Drill 118° Pt | DS-JDZ-13 | 63.56 |
| 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | HEAVY DUTY - HIGH SPEED STEEL | | |
| 0.002204411111 | Bright Finish Jobber Drill 118° S/Pt | DS-JDHA-13 | 23.30 |
| 67 67 5 ²² . | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-13 | 23.30 |
| | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-13 | 23.30 |
| | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-13 | 23.30 |
| | Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-13 | 27.06 |
| | HEAVY DUTY - SPECIAL COATING - HIGH SPEED S | STEEL | |
| 105 | Titanium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHT-13 | 51.04 |
| | HEAVY DUTY - LEFT HAND - HIGH SPEED STE | EL | |
| Sizes | Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-13 | 51.04 |
| 1/16 to 1/4 by 64ths | HEAVY DUTY - COBALT | | |
| (Wt80 lbs.) | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-13 | 37.64 |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--|--|---------------|--------|
| 15 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STEEL | | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-15 | 51.74 |
| | Bright Finish Jobber Drill 118° Pt | DS-JDP-15 | 52.92 |
| 620 | Black Finish Jobber Drill 118° Pt | DS-JDG-15 | 52.92 |
| MARRO | GENERAL PURPOSE - SPECIAL COATING - HIGH S | PEED STEEL | |
| 经外国 以图 扩展 | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-15 | 131.72 |
| 8 3 1 | Zirconium Nitride Coated Jobber Drill 118° Pt | DS-JDZ-15 | 211.54 |
| 2 3 2 | GENERAL PURPOSE - REDUCED SHANK - HIGH S | PEED STEEL | |
| | Black Finish 1/4" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRQS-15 | 59.98 |
| 5 32 1 72 3 5 1 3 16 16 32 4 32 16 32 8 32 16 | Bright Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDPQS-15 | 63.82 |
| I ME TO ME ME DE LE LE LE | Black Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDGQS-15 | 63.82 |
| 4 | Black Finish 3/8" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRTS-15 | 57.62 |
| | Bright Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDPTS-15 | 61.30 |
| | Black Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDGTS-15 | 61.30 |
| | HEAVY DUTY - HIGH SPEED STEEL | | |
| | Black Finish Jobber Drill 118° S/Pt | DS-JDHA-15 | 63.50 |
| ICS | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-15 | 63.50 |
| | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-15 | 63.50 |
| Sizes | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-15 | 66.86 |
| 1/16 to 1/2 by 32nds | Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-15 | 72.10 |
| (Wt. 2.10 lbs.) | HEAVY DUTY - SPECIAL COATING - HIGH SPEE | | 450.00 |
| | Titanium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHT-15 | 152.00 |
| | HEAVY DUTY - LEFT HAND - HIGH SPEED S | | 404.00 |
| | Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-15 | 121.98 |
| | HEAVY DUTY - COBALT - STRAIGHT SHANK & F | | 405.04 |
| | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-15 | 105.84 |
| | Gold Finish 3/8" SHANK Cobalt Jobber Drill 135° S/Pt HEAVY DUTY - REDUCED SHANK - HIGH SPEE | DS-JDCTS-15 | 132.30 |
| | Black Finish 1/4" SHANK Jobber Drill 135° S/Pt | | 00.00 |
| | | DS-JDHBQS-15 | 88.20 |
| | Bright Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHPQS-15 | 88.20 |
| | Gold Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHGFQS-15 | 92.86 |
| | Black Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHBTS-15 | 76.44 |
| | Bright Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHPTS-15 | 76.44 |
| | Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHGFTS-15 | 76.44 |
| | Black & Gold Dual Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHDFTS-15 | 88.20 |

METAL INDEX

| ### STANDARD CONTRICT OF CONTR | DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--|---|---|-------------|--------|
| Bright Finish Jobber Drill 118° Pt DS-JDP-21 47.04 | 21 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STEEL | | |
| Black Finish Jobber Drill 118° Pt GENERAL PURPOSE - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 118° Pt Zirconium Nitride Coated Jobber Drill 118° Pt DS-JDT-21 DS-JDT-21 132.10 DS-JDZ-21 169.90 HEAVY DUTY - HIGH SPEED STEEL Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt Bright Finish Jobber Drill 135° S/Pt Gold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHGF-21 G0.06 Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHDF-21 Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 | | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-21 | 44.70 |
| GENERAL PURPOSE - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 118° Pt Zirconium Nitride Coated Jobber Drill 118° Pt DS-JDT-21 DS-JDZ-21 169.90 HEAVY DUTY - HIGH SPEED STEEL Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt DS-JDHA-21 DS-JDHB-21 56.46 Bright Finish Jobber Drill 135° S/Pt DS-JDHGF-21 Gold Finish Jobber Drill 135° S/Pt DS-JDHGF-21 60.06 Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHDF-21 63.50 HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 | | Bright Finish Jobber Drill 118° Pt | DS-JDP-21 | 47.04 |
| Titanium Nitride Coated Jobber Drill 118° Pt Zirconium Nitride Coated Jobber Drill 118° Pt DS-JDT-21 169.90 HEAVY DUTY - HIGH SPEED STEEL Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt DS-JDHB-21 56.46 Bright Finish Jobber Drill 135° S/Pt DS-JDHP-21 56.46 Gold Finish Jobber Drill 135° S/Pt DS-JDHGF-21 60.06 Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHGF-21 63.50 HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 | Mala R von. | Black Finish Jobber Drill 118° Pt | DS-JDG-21 | 47.04 |
| Zirconium Nitride Coated Jobber Drill 118° Pt HEAVY DUTY - HIGH SPEED STEEL Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt Bright Finish Jobber Drill 135° S/Pt Gold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHGF-21 Gold Finish Jobber Drill 135° S/Pt DS-JDHGF-21 Gold Finish Jobber Drill 135° S/Pt DS-JDHDF-21 Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 | a remain her | GENERAL PURPOSE - SPECIAL COATING - HIGH SPE | EED STEEL | |
| HEAVY DUTY - HIGH SPEED STEEL Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt Bright Finish Jobber Drill 135° S/Pt Black & Gold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black Finish Jobber Drill 135° S/Pt BS-JDHF-21 BS-JDHF-21 BS-JDH-21 BS-JDH | 有以外的 能表象。(1 | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-21 | 132.10 |
| Black Finish Jobber Drill 118° S/Pt Black Finish Jobber Drill 135° S/Pt Bright Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Bright Fin | A MAUALA WILLIAM | Zirconium Nitride Coated Jobber Drill 118° Pt | DS-JDZ-21 | 169.90 |
| Black Finish Jobber Drill 135° S/Pt Bright Finish Jobber Drill 135° S/Pt Cold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Finish Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black & Gold Finish Left Hand Jobber Drill 135° S/Pt Black Finish Jobber Drill 135° S/Pt Black F | 容 程 1 程 平 程 4 年 # 2 4 7 2 2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | HEAVY DUTY - HIGH SPEED STEEL | | |
| Bright Finish Jobber Drill 135° S/Pt Gold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHDF-21 63.50 HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 | | Black Finish Jobber Drill 118° S/Pt | DS-JDHA-21 | 56.46 |
| Gold Finish Jobber Drill 135° S/Pt Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHGF-21 60.06 Black & Gold Dual Finish Jobber Drill 135° S/Pt DS-JDHDF-21 138.10 HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 1/16 to 3/8 by 64ths | 4,1, | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-21 | 56.46 |
| Black & Gold Dual Finish Jobber Drill 135° S/Pt HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 1/16 to 3/8 by 64ths | | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-21 | 56.46 |
| HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL Titanium Nitride Coated Jobber Drill 135° S/Pt DS-JDHT-21 138.10 HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Sizes Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 HEAVY DUTY - COBALT | | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-21 | 60.06 |
| Titanium Nitride Coated Jobber Drill 135° S/Pt HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Sizes Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 1/16 to 3/8 by 64ths HEAVY DUTY - COBALT | TOO | Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-21 | 63.50 |
| HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL Sizes Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 1/16 to 3/8 by 64ths HEAVY DUTY - COBALT | ICS | HEAVY DUTY - SPECIAL COATING - HIGH SPEED | STEEL | |
| Sizes Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21 132.58 1/16 to 3/8 by 64ths HEAVY DUTY - COBALT | | Titanium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHT-21 | 138.10 |
| 1/16 to 3/8 by 64ths HEAVY DUTY - COBALT | | HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL | | |
| | Sizes | Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-21 | 132.58 |
| (Wt 1.70 lbs.) Gold Finish Cohalt Johber Drill 135° S/Pt DS-, IDC-21 96.44 | 1/16 to 3/8 by 64ths | HEAVY DUTY - COBALT | | |
| (1.1. 1.1. 5 1.5.) GOIGT IIII511 CODGIL GODDEI DIII 100 0/1 t | (Wt. 1.70 lbs.) | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-21 | 96.44 |

DESCRIPTION TYPE OF DRILL ITEM NO. **PRICE** 21 PC DRILL SET GENERAL PURPOSE - HIGH SPEED STEEL Black Finish Roll Fluted Jobber Drill 118° Pt DS-JDR-21A 64.68 Bright Finish Jobber Drill 118° Pt DS-JDP-21A 68.84 Black Finish Jobber Drill 118° Pt DS-JDG-21A 68.84 **GENERAL PURPOSE - SPECIAL COATING - HIGH SPEED STEEL** Titanium Nitride Coated Jobber Drill 118° Pt DS-JDT-21A 156.26 **GENERAL PURPOSE - REDUCED SHANK - HIGH SPEED STEEL** Black Finish 1/4" SHANK Roll Fluted Jobber Drill 118° Pt **DS-JDRQS-21A** 70.56 Bright Finish 1/4" SHANK Jobber Drill 118° Pt **DS-JDPQS-21A** 75.06 Black Finish 1/4" SHANK Jobber Drill 118° Pt 75.06 **DS-JDGQS-21A** Black Finish 1/4" SHANK Mechanics Jobber Drill 118° Pt **DS-MLDQS-21A** 87.62 Bright Finish 1/4" SHANK Mechanics Jobber Drill 118° Pt **DS-MLDPQS-21A** 87.62 **HEAVY DUTY - HIGH SPEED STEEL** DS-JDHA-21A Black Finish Jobber Drill 118° S/Pt 75.86 Black Finish Jobber Drill 135° S/Pt **DS-JDHB-21A** 75.86 ICS Bright Finish Jobber Drill 135° S/Pt 75.86 DS-JDHP-21A Gold Finish Jobber Drill 135° S/Pt **DS-JDHGF-21A** 80.70 Black & Gold Dual Finish Jobber Drill 135° S/Pt **DS-JDHDF-21A** Sizes 85.32 1/16 to 1/4 by 64ths **HEAVY DUTY - SPECIAL COATING - HIGH SPEED STEEL** 9/32 to 1/2 by 32nds Titanium Nitride Coated Jobber Drill 135° S/Pt **DS-JDHT-21A** 189.60 **HEAVY DUTY - LEFT HAND - HIGH SPEED STEEL** (Wt. 2.40 lbs.) Gold Finish Left Hand Jobber Drill 135° S/Pt DS-JDL-21A 155.16 **HEAVY DUTY - COBALT** Gold Finish Cobalt Jobber Drill 135° S/Pt DS-JDC-21A 128.18 **HEAVY DUTY - REDUCED SHANK - HIGH SPEED STEEL** Black Finish 1/4" SHANK Jobber Drill 135° S/Pt **DS-JDHBQS-21A** 101.38 Bright Finish 1/4" SHANK Jobber Drill 135° S/Pt **DS-JDHPQS-21A** 101.38 Gold Finish 1/4" SHANK Jobber Drill 135° S/Pt **DS-JDHGFQS-21A** 106.70 Black Finish 1/4" SHANK Mechanics Jobber Drill 135° S/Pt **DS-MLDHQS-21A** 101.38 **DS-MLDHPQS-21A** 101.38 Bright Finish 1/4" SHANK Mechanics Jobber Drill 135° S/Pt

METAL INDEX

DESCRIPTION 29 PC DRILL SET

Sizes 1/16 to 1/2 by 64ths (Wt. 3.30 lbs.)

| TYPE OF DRILL | ITEM NO. | PRICE |
|--|---------------|--------|
| GENERAL PURPOSE - HIGH SPEED ST | EEL | |
| Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-29 | 88.20 |
| Bright Finish Jobber Drill 118° Pt | DS-JDP-29 | 90.56 |
| Black Finish Jobber Drill 118° Pt | DS-JDG-29 | 90.56 |
| GENERAL PURPOSE - SPECIAL COATING - HIGH | SPEED STEEL | |
| Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-29 | 276.44 |
| Zirconium Nitride Coated Jobber Drill 118° Pt | DS-JDZ-29 | 342.74 |
| GENERAL PURPOSE - REDUCED SHANK - HIGH S | SPEED STEEL | |
| Black Finish 1/4" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRQS-29 | 108.20 |
| Bright Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDPQS-129 | 110.54 |
| Black Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDGQS-29 | 110.54 |
| Black Finish 3/8" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRTS-29 | 103.50 |
| Bright Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDPTS-29 | 105.84 |
| Black Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDGTS-29 | 105.84 |
| HEAVY DUTY - HIGH SPEED STEEL | | |
| Black Finish Jobber Drill 118° S/Pt | DS-JDHA-29 | 112.90 |
| Black Finish Jobber Drill 135° S/Pt | DS-JDHB-29 | 118.12 |
| Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-29 | 112.90 |
| Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-29 | 115.26 |
| Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-29 | 129.36 |
| HEAVY DUTY - SPECIAL COATING - HIGH SPE | ED STEEL | |
| Titanium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHT-29 | 291.66 |
| HEAVY DUTY - LEFT HAND/REDUCED SHANK - HIG | H SPEED STEEL | |
| Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-29 | 248.18 |
| Gold Finish Left Hand 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDLTS-29 | 265.10 |
| HEAVY DUTY - COBALT/REDUCED SHA | NK | |
| Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-29 | 176.40 |
| Gold Finish Cobalt 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDCTS-29 | 211.68 |
| HEAVY DUTY - REDUCED SHANK - HIGH SPE | ED STEEL | |
| Black Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHBQS-29 | 160.40 |
| Bright Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHPQS-29 | 160.40 |
| Gold Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHGFQS-29 | 155.86 |
| Black & Gold Dual Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHDFQS-29 | - |
| Black Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHBTS-29 | 136.72 |
| Bright Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHPTS-29 | 136.72 |
| Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHGFTS-29 | 139.50 |
| Black & Gold Dual Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHDFTS-29 | 152.88 |
| SPECIAL PURPOSE - HIGH SPEED STE | | 32.00 |
| Bright Finish Fast Spiral Jobber Drill 118° Pt | DS-JDF-29 | 182.20 |
| Bright Finish Slow Spiral Jobber Drill 118° Pt | DS-JDS-29 | 210.66 |
| SPECIAL VALUE PACK - HIGH SPEED ST | | |
| Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-29VP | 88.20 |
| and 16' Power Tape (Shrink Wrapped) | 20 0211 2011 | 55.20 |
| GUARANTEED BEST IMPORT - HIGH SPEED | STEEL | |
| Black Finish Roll Fluted Jobber Drill 118° Pt | DS-IJDR-29 | 52.92 |
| PERFECT POINT - HIGH SPEED STEE | | JZ.JZ |
| Bright Finish Jobber Drill - Perfect Point® | DS-JD-PP-29 | 220.50 |
| שוואסטטפו שוווי ו פוופטג רטווונש | DO-0D-FF-23 | 220.00 |

METAL INDEX

| 7 PC DRILL SET |
|--|
| |
| |
| OI ICS |
| M.W. |
| IZ MYC. |
| 11 0 2 3 2 |
| NAMARI |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 1-1-117711 |
| |
| |
| |
| Sizos |

DESCRIPTION

Sizes 1/8 to 1/2 by 16ths (Wt. 1.40 lbs.)

| WIETAL INDEX | | |
|--|----------------------------|----------------|
| TYPE OF DRILL | ITEM NO. | PRICE |
| GENERAL PURPOSE - HIGH SPEED STE | 31. | |
| Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-7 | 44.04 |
| Bright Finish Jobber Drill 118° Pt | DS-JDP-07 | 45.58 |
| Black Finish Jobber Drill 118° Pt | DS-JDG-07 | 45.58 |
| GENERAL PURPOSE - SPECIAL COATING - HIGH S | PEED STEEL | |
| Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-7 | 91.00 |
| Zirconium Nitride Coated Jobber Drill 118° Pt | DS-JDZ-7 | 91.00 |
| Titanium Carbonitride Coated Jobber Drill 118° Pt | DS-JDTC-7 | 135.00 |
| Titanium Aluminum Nitride Jobber Drill 118° Pt | DS-JDTAL-7 | 135.00 |
| GENERAL PURPOSE - REDUCED SHANK - HIGH S | | |
| Black Finish 1/4" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRQS-7 | 49.74 |
| Bright Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDPQS-7 | 53.48 |
| Black Finish 1/4" SHANK Jobber Drill 118° Pt | DS-JDGQS-7 | 53.48 |
| Black Finish 3/8" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRTS-7 | 46.94 |
| Bright Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDPTS-7 | 49.78 |
| Black Finish 3/8" SHANK Jobber Drill 118° Pt HEAVY DUTY - HIGH SPEED STEEL | DS-JDGTS-7 | 49.78 |
| Black Finish Jobber Drill 118° S/Pt | DS-JDHA-7 | 51.80 |
| Black Finish Jobber Drill 135° S/Pt | DS-JDHA-7 | 51.80 |
| Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-7 | 51.80 |
| Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-7 | 51.80 |
| Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-7 | 53.76 |
| HEAVY DUTY - SPECIAL COATING - HIGH SPEE | | 00.70 |
| Titanium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHT-7 | 97.46 |
| Zirconium Nitride Coated Jobber Drill 135° S/Pt | DS-JDHZ-7 | 115.92 |
| Titanium Carbonitride Coated Jobber Drill 135° S/Pt | DS-JDHTC-7 | 145.34 |
| Titanium Aluminum Nitride Coated Jobber Drill 135° S/Pt | DS-JDHTA-7 | 145.34 |
| HEAVY DUTY - LEFT HAND/REDUCED SHANK - HIGH | SPEED STEEL | |
| Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-7 | 80.90 |
| Gold Finish Left Hand 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDLTS-7 | 85.14 |
| HEAVY DUTY - COBALT/REDUCED SHA | NK | |
| Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-7 | 77.76 |
| Gold Finish Cobalt 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDCTS-7 | 85.14 |
| HEAVY DUTY - REDUCED SHANK - HIGH SPEE | | |
| Black Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHBQS-7 | 62.02 |
| Bright Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHPQS-7 | 62.02 |
| Gold Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHGFQS-7 | 62.02 |
| Black & Gold Dual Finish 1/4" SHANK Jobber Drill 135° S/Pt | DS-JDHDFQS-7 | CALL |
| Black Finish 3/8" SHANK Jobber Drill 135° S/Pt Bright Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHBTS-7 DS-JDHPTS-7 | 56.02 56.02 |
| Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHGFTS-7 | 56.02 |
| Black & Gold Dual Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHDFTS-7 | 58.86 |
| SPECIAL PURPOSE - HIGH SPEED STEE | | 30.00 |
| Bright Finish Fast Spiral Jobber Drill 118° Pt | DS-JDF-7 | 62.26 |
| Bright Finish Slow Spiral Jobber Drill 118° Pt | DS-JDS-7 | 68.52 |
| SPECIAL PURPOSE - CARBIDE TIPPE | | 00.02 |
| Bright Finish Carbide Tipped Jobber Drill 118° Pt | DS-CTJD-7 | 225.96 |
| SPECIAL PURPOSE - SOLID CARBIDE | | |
| Bright Finish Solid Carbide Jobber Drill 118° Pt | DS-SCJD-7 | 571.18 |
| SPECIAL POINT - HIGH SPEED STEEL | | |
| Oxide Finish Jobber Drill - Bickford® Point | DS-JD-BP-7 | 73.76 |
| Oxide Finish Jobber Drill - Racon® Point | DS-JD-RP-7 | 64.68 |
| Oxide Finish Jobber Drill - Six Shooter® Point | DS-JD-SSP-7 | 64.44 |
| PERFECT POINT - HIGH SPEED STEEL | | |
| Bright Finish Jobber Drill - Perfect Point® | DS-JD-PP-7 | 64.66 |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|----------------------------|---|-------------|----------|
| 11 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STE | EL | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-11 | 29.40 |
| | Bright Finish Jobber Drill 118° Pt | DS-JDP-11 | 29.40 |
| | Black Finish Jobber Drill 118° Pt | DS-JDG-11 | 29.40 |
| | GENERAL PURPOSE - SPECIAL COATING - HIGH | SPEED STEEL | |
| 140 x. | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-11 | 76.10 |
| 8 8 6 -12 2 2 | HEAVY DUTY - HIGH SPEED STEEL | | |
| 888 8931111 | Bright Finish Jobber Drill 118° S/Pt | DS-JDHA-11 | 35.54 |
| 0.00 1111111 | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-11 | 37.78 |
| | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-11 | 37.78 |
| | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-11 | 38.96 |
| | HEAVY DUTY - LEFT HAND - HIGH SPEED | STEEL | |
| | Gold Finish Left Hand Jobber Drill 135° S/Pt | DS-JDL-11 | 63.18 |
| | HEAVY DUTY - COBALT | | |
| 45 | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-11 | 56.60 |
| No. | | | |
| | | | |
| Sizes 1/16 to 3/8 by 32nds | | | |
| (Wt. 1.30 lbs.) | | | <u> </u> |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|---|---|-------------|--------|
| 60 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STE | EL | |
| 210202000 | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-60 | 74.10 |
| MAHILL | Bright Finish Jobber Drill 118° Pt | DS-JDP-60 | 78.84 |
| 400000000000000000000000000000000000000 | Black Finish Jobber Drill 118° Pt | DS-JDG-60 | 78.84 |
| | GENERAL PURPOSE - SPECIAL COATING - HIGH S | SPEED STEEL | |
| | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-60 | 192.84 |
| | HEAVY DUTY - HIGH SPEED STEEL | | |
| PERSONAL PROPERTY | Bright Finish Jobber Drill 118° S/Pt | DS-JDHA-60 | 97.60 |
| | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-60 | 97.60 |
| | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-60 | 97.60 |
| | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-60 | 112.22 |
| ICS | Black & Gold Dual Finish Jobber Drill 135° S/Pt | DS-JDHDF-60 | 112.22 |
| _00 | HEAVY DUTY - COBALT | | |
| Wire Gauge Sizes 1 to 60 | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-60 | 135.24 |
| (Wt. 1.10 lbs.) | | | |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE | |
|---|---|------------------------------------|-------|--|
| 20 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STE | GENERAL PURPOSE - HIGH SPEED STEEL | | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-20 | 29.40 | |
| The Resident | Bright Finish Jobber Drill 118° Pt | DS-JDP-20 | 31.30 | |
| | Black Finish Jobber Drill 118° Pt | DS-JDG-20 | 31.30 | |
| F 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | HEAVY DUTY - HIGH SPEED STEEL | | | |
| 07282 0731 0731 0731 0731 0731 0731 0731 | Black Finish Jobber Drill 135° Pt | DS-JDHB-20 | - | |
| | HEAVY DUTY - COBALT | | | |
| | Gold Finish Cobalt Jobber Drill 135° Pt | DS-JDC-20 | 71.32 | |
| Wire Gauge Sizes 61 to 80 | | | | |
| (Wt060 lbs.) | | | | |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|---------------------|--|---------------|--------|
| 26 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED | STEEL | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-26 | 88.20 |
| | Bright Finish Jobber Drill 118° Pt | DS-JDP-26 | 99.96 |
| Engage | Black Finish Jobber Drill 118° Pt | DS-JDG-26 | 99.96 |
| | GENERAL PURPOSE - SPECIAL COATING - HIC | H SPEED STEEL | |
| | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-26 | 280.48 |
| | GENERAL PURPOSE - REDUCED SHANK - HIG | H SPEED STEEL | |
| JIHGFEDCBA | Black Finish 3/8" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRTS-26 | 108.44 |
| THE REAL PROPERTY. | Bright Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDPTS-26 | 114.62 |
| A | Black Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDGTS-26 | 114.62 |
| | HEAVY DUTY - HIGH SPEED STEEL | | |
| 1 | Black Finish Jobber Drill 118° S/Pt | DS-JDHA-26 | 117.60 |
| | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-26 | 117.60 |
| TOO | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-26 | 117.60 |
| ICS | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-26 | 123.48 |
| | HEAVY DUTY - COBALT | | |
| Letter Sizes A to Z | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-26 | 188.16 |
| (Wt. 2.90 lbs.) | HEAVY DUTY - REDUCED SHANK - HIGH S | PEED STEEL | |
| | Black Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHBTS-26 | 139.84 |
| | Bright Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHPTS-26 | 139.84 |
| | Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHGFTS-26 | 147.20 |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--|--|-----------------|--------|
| 115 PC DRILL SET | GENERAL PURPOSE - HIGH SPEE | STEEL | |
| อีนิอส์ที่กุมที่หลุยอยุกลลักกที่จะค่อการตาม | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDR-115 | 264.60 |
| HOCHOODAGHAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA | Bright Finish Jobber Drill 118° Pt | DS-JDP-115 | 264.60 |
| S Testumontukannalikilista (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1. | Black Finish Jobber Drill 118° Pt | DS-JDG-115 | 282.24 |
| | GENERAL PURPOSE - SPECIAL COATING - H | IGH SPEED STEEL | |
| , | Titanium Nitride Coated Jobber Drill 118° Pt | DS-JDT-115 | 788.52 |
| ICS | GENERAL PURPOSE - REDUCED SHANK - H | IGH SPEED STEEL | |
| Sizes | Black Finish 3/8" SHANK Roll Fluted Jobber Drill 118° Pt | DS-JDRTS-115 | 305.76 |
| 1/16 to 1/2 by 64ths | Bright Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDPTS-115 | 305.76 |
| Wire Gauge Sizes 1 to 60 | Black Finish 3/8" SHANK Jobber Drill 118° Pt | DS-JDGTS-115 | 305.76 |
| Letter Sizes A to Z | HEAVY DUTY - HIGH SPEED ST | EEL | |
| (Wt. 8.20 lbs.) | Black Finish Jobber Drill 118° S/Pt | DS-JDHA-115 | 365.32 |
| | Black Finish Jobber Drill 135° S/Pt | DS-JDHB-115 | 343.40 |
| | Bright Finish Jobber Drill 135° S/Pt | DS-JDHP-115 | 343.40 |
| | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-115 | 365.32 |
| | HEAVY DUTY - COBALT/REDUCED | SHANK | |
| | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDC-115 | 635.04 |
| | Gold Finish Cobalt 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDCTS-115 | 694.40 |
| | HEAVY DUTY - REDUCED SHANK - HIGH | SPEED STEEL | |
| | Black Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHBTS-115 | 391.66 |
| | Bright Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHPTS-115 | 391.66 |
| | Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDHGFTS-115 | 412.28 |

METRIC JOBBER LENGTH DRILL SETS

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|---|---|--------------|-------|
| | | | PRICE |
| 11 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED S | STEEL | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDM-11 | 21.28 |
| | HEAVY DUTY - HIGH SPEED STE | EL | |
| | Gold Finish Jobber Drill 135° S/Pt | DS-JDMHGF-11 | 36.98 |
| | HEAVY DUTY - COBALT | | |
| Metric Sizes 1.0 to 6.0 by 0.5mm (Wt240 lbs.) | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDCM-11 | 44.56 |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|----------------------|---|--------------|--------|
| 19 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED STEEL | | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDM-19 | 62.58 |
| (Not Illustrated) | HEAVY DUTY - HIGH SPEED STEEL | | |
| Metric Sizes | Gold Finish Jobber Drill 135° S/Pt | DS-JDMHGF-19 | 92.26 |
| 1.0 to 10.0 by 0.5mm | HEAVY DUTY - COBALT | | |
| (Wt. 1.7845 lbs.) | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDCM-19 | 126.02 |

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|---|--|----------------|--------|
| 25 PC DRILL SET | GENERAL PURPOSE - HIGH SPEED S | TEEL | |
| | Black Finish Roll Fluted Jobber Drill 118° Pt | DS-JDM-25 | 112.90 |
| | GENERAL PURPOSE - REDUCED SHAN | IK-HSS | |
| 000 | Black Finish 3/8" Shank Roll Fluted Jobber Drill 118° Pt | DS-JDMTS-25 | 143.86 |
| KKARA | HEAVY DUTY - HIGH SPEED STEE | L | |
| MAGANDANA | Gold Finish Jobber Drill 135° S/Pt | DS-JDHGF-25 | - |
| | HEAVY DUTY - COBALT | | |
| 《从利用数据效用》 | Gold Finish Cobalt Jobber Drill 135° S/Pt | DS-JDCM-25 | 252.36 |
| [475] 4 [48] [48] [48] [48] | HEAVY DUTY - REDUCED SHANK - | | |
| 6,5 6 5,5 5 4,5 4 3,5 3 2,5 2 1,5 1 | Gold Finish 3/8" SHANK Jobber Drill 135° S/Pt | DS-JDMHGFTS-25 | 191.42 |
| I am | | | |
| 1000 | | | |
| | | | |
| | | | |
| TOO | | | |
| ICS | | | |
| | | | |
| Metric Sizes | | | |
| 1.0 to 13.0 by 0.5mm (Wt. 3.3125 lbs.) | | | |
| (881. 3.3123 108.) | | | |

1/2" SHANK SILVER & DEMING DRILL SETS

METAL INDEX

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--------------------------|--|------------|--------|
| 8 PC DRILL DISPLAY | Round SHANK S & D Drills 118° Pt | DS-SND-8 | 257.64 |
| Sizes 9/16 to 1 by 16ths | 3 Flat SHANK S & D Drills 118° Pt | DS-SND3F-8 | 265.70 |
| | Cobalt S & D Drills 135° S/Pt | DS-SNDC-8 | 564.62 |
| 2004 | Heavy Duty S & D Drills 135° S/Pt | DS-SNDHD-8 | 328.16 |
| W0681 | Heavy Duty S & D Drills 135° Helical Pt | DS-SNDHP-8 | 281.64 |
| SHALL | Titanium Nitride Coated S & D Drills 118° Pt | DS-SNDT-8 | 415.04 |
| 166 | | | |
| | | | |

WOOD STAND

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--|--|------------------------------|--------------------|
| 8 PC DRILL SET | Round SHANK S & D Drills 118° Pt | DSW-SND-8 | 246.74 |
| Sizes 9/16 to 1 by 16ths | 3 Flat SHANK S & D Drills 118° Pt | DSW-SND3F-8 | 271.76 |
| | Cobalt S & D Drills 135° S/Pt | DSW-SNDC-8 | 564.62 |
| X1X1X1X1 | Heavy Duty S & D Drills 135° S/Pt | DSW-SNDHD-8 | 317.26 |
| | Heavy Duty S & D Drills 135° Helical Pt | DSW-SNDHP-8 | 288.72 |
| | Titanium Nitride Coated S & D Drills 118° Pt. | DSW-SNDT-8 | 430.66 |
| 13 PC DRILL SET | Round SHANK S & D Drills 118° Pt | DSW-SND-13 | 361.68 |
| Sizes 17/32 to 3/4 by 32nds 13/16 to 1 by 16ths & 31/32 | 3 Flat SHANK S & D Drills 118° Pt | DSW-SND3F-13 | 410.48 |
| 13/10 to 1 by 10ths & 31/32 | Cobalt S & D Drills - 135° S/Pt | DSW-SNDC-13 | 875.76 |
| | Heavy Duty S & D Drills 135° S/Pt | DSW-SNDHD-13 | 467.34 435.86 |
| 47474747032 | Heavy Duty S & D Drills 135° Helical Pt Titanium Nitride Coated S & D Drills 118° Pt | DSW-SNDHP-13 DSW-SNDT-13 | 435.66 664.42 |
| | | | |
| 32 PC DRILL SET Sizes 33/64 to 1 by 64ths | Round SHANK S & D Drills 118° Pt | DSW-SND-32 | 888.74 |
| 312es 33/04 to 1 by 04ths | 3 Flat SHANK S & D Drills 118° Pt | DSW-SND3F-32 | 1008.86 |
| | Cobalt S & D Drills - 135° S/Pt | DSW-SNDC-32 | 2251.94 |
| | Heavy Duty S & D Drills 135° S/Pt Heavy Duty S & D Drills 135° Helical Pt | DSW-SNDHD-32 DSW-SNDHP-32 | 1168.66 1087.32 |
| (NOT ILLUSTRATED) | Titanium Nitride Coated S & D Drills 118° Pt | DSW-SNDT-32 | 1566.08 |
| 5 PC DRILL SET | Round SHANK S & D Drills 118° Pt | DSW-SND-5 | 347.26 |
| Sizes 1 to 1-1/2 by 8ths | 3 Flat SHANK S & D Drills 118° Pt | DSW-SND3F-5 | 366.04 |
| | Titanium Nitride Coated S & D Drills 118° Pt | DSW-SNDT-5 | 513.64 |

METRIC 1/2" SHANK SILVER & DEMING DRILL SETS 11

METAL INDEX

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|-------------------------------|--|------------|--------|
| 8 PC DRILL SET | Metric S & D Drills 118° Pt | DS-SNDM-8 | 253.76 |
| Sizes 13.0, 14.0, 16.0, 18.0, | Heavy Duty Metric S & D Drills 135° S/Pt | DS-SNDMH-8 | 317.46 |
| 20.0, 22.0, 24.0, 25.0 | | | |
| | | | , |

HIGH SPEED STEEL - COBALT SILVER & DEMING DRILL MERCHANDISERS

| DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--|--|------------------------|------------------|
| 8 PC DRILL DISPLAY Sizes 9/16 to 1 by 16ths | Round Shank S & D Drills 118° Pt 1/2" shank 3 Flat Shank S & D Drills 118° Pt 1/2" shank | DM-SND-8 DM-SND3F-8 | 221.60 249.82 |
| ICS Catting Tools, Inc. | | | |

HIGH SPEED STEEL and COBALT 3/8" SHANK SILVER & DEMING DRILL SETS

| Sizes 9/16 to 1 by 16ths General Purpose 3/8 shank S & D Drills - 118° Pt. Heavy Duty 3/8 shank S & D Drills - 135° Split Pt. Cobalt 3/8 shank S & D Drills - 135° Split Pt. DSW-RSD-8 DSW-RSDHB-8 DSW-RSDC-8 559 |
|---|
| |

TAPER LENGTH DRILL SETS

METAL INDEX

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|--------------|---|------------|---------|
| | 16 PC SET Sizes: 33/64 to 3/4 by 64ths | DS-TLD-16 | 651.50 |
| | 16 PC SET Sizes: 49/64 to 1" by 64ths | DS-TLD-16A | 1144.18 |
| | 26 PC SET Letter Sizes: A to Z | DS-TLD-26 | 393.96 |
| | 29 PC SET Sizes: 1/16 to 1/2 by 64ths | DS-TLD-29 | 340.46 |
| ICS | 60 PC SET Wire Gauge Sizes: #1 to #60 | DS-TLD-16 | 488.04 |

HIGH SPEED STEEL

EXTRA LENGTH (LONG BOY) DRILL SETS

METAL/WOOD STANDS

| ILLUSTRATION | CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE | | |
|---------------------|--|---|---------------|---------|--|--|
| (8 PC SET PICTURED) | 6 PC SET 3/8" Shank 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 Wood Stand | 3/8" Shank Heavy Duty 135° S/Pt 12" Long Boy Drills | DSW-LBH12TS-6 | 338.56 | | |
| | 8 PC SET 3/8" Shank 3/8, 13/32, 7/16, 15/32, 1/2 9/16, 5/8, 3/4 Wood Stand | 3/8" Shank Heavy Duty 135° S/Pt 12" Long Boy Drills | DSW-LBH12TS-8 | 423.44 | | |
| | 8 PC SET 1/2" Shank | 1/2" Shank 12" Long Boy Drills | DSW-LB12RS-8 | 729.86 | | |
| | 9/16 to 1" by 16ths | 1/2 Shank 18" Long Boy Drills | DSW-LB18RS-8 | 1071.88 | | |
| | | 1/2" Shank Heavy Duty 135° S/Pt 12" Long Boy Drills | DSW-LBH12RS-8 | 793.56 | | |
| | Wood Stand | 1/2" Shank Heavy Duty 135° S/Pt 18" Long Boy Drills | DSW-LBH18RS-8 | 1135.58 | | |
| | 11 PC SET Straight Shank | Straight Shank 18" Long Boy Drills | DSM-LB18-11 | 583.94 | | |
| | 3/16 to 1/2 by 32nds Metal Stand | Straight Shank Heavy Duty 135° S/Pt 18" Long Boy Drills | DSM-LBH18-11 | 612.16 | | |
| | 13 PC SET Straight Shank | Straight Shank 12" Long Boy Drills | DSM-LB12-13 | 342.18 | | |
| | 1/8 to 1/2 by 32nds Metal Stand | Straight Shank Heavy Duty 135° S/Pt 12" Long Boy Drills | DSM-LBH12-13 | 379.14 | | |
| | 25 PC SET Straight Shank 1/8 to 1/2 by 64ths Wood Stand | Straight Shank Bright Finish 12" Long Boy Drills | DSW-LB12-25 | 502.52 | | |

AIRCRAFT DRILL MERCHANDISER

| ILLUSTRATION | CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE |
|-----------------------|--|--|--------------|--------|
| ICS EXTRA LONG DRILLS | 12 PC DRILL DISPLAY 12" AIRCRAFT EXTENSION DRILLS 3 Ea. 1/8, 3/16, 1/4 1 Ea. 5/16, 3/8, 1/2 Display Size: 12" x 18" | Black Finish Aircraft Drills 135° S/Pt | DM-AC-12B-12 | 130.14 |

COMBINED DRILL & COUNTERSINK SETS

VINYL POUCH

| ILLUSTRATION | CONTENTS | TYPE OF DRILL | ITEM NO. | PRICE | |
|--------------|---------------------------------------|---|-----------|-------|--|
| | 5 PC SET | HSS - Plain - 60° | DS-CDC-5 | 21.18 | |
| | Sizes #1 to #5 | Titanium Nitride Coated - Plain - 60° | DS-CDCT-5 | 48.80 | |
| | | Cobalt - Plain - 60° | DS-CDCC-5 | 60.04 | |
| | | Plain Type Combined Drills & Countersinks are designed to produce accurate center holes in components which require machining between centers | | | |
| | 5 PC SET | HSS - Bell - 60° | DS-CDC-5B | 25.00 | |
| N V V V | Sizes #11 to #15 (Not Illustrated) | Bell Type Combined Drills & Countersinks are designed with additional small 120° chamfer to protect the edges of the 60 | | | |

STEP DRILL SETS

WOOD STAND

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|---------------------|--|-----------|--------|
| 6 PC STEP DRILL SET | 6 PC SET Jobber Length 45° #6 to 3/8 | SDJLS45-6 | 102.58 |
| | 6 PC SET Jobber Length 82° #6 to 3/8 | SDJLS82-6 | 152.30 |
| | 6 PC SET Jobber Length 90° #6 to 3/8 | SDJLS90-6 | 127.66 |
| ICS | Step Drill Sets contain #6 to 3/8 in 45°, 82°, and 90° step angl | | |

length drill styles.

9 PC SPOT WELD CUTTER SETS

METAL CASE

| iLLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|--------------|---|------------|-------------|
| | 9 PC SET | SWCS-HS-9 | 47.26 |
| | 1 hex shank 3/8" dia. spot weld cutter | | |
| | 5 extra replacement cutters | | |
| | 2 extra center pins | | |
| | 1 5/16" dia. cobalt spot weld drill | | |
| 100 | METRIC | | |
| | 9 PC SET - metric | SWCS-HS-9M | 47.26 |
| | 1 hex shank 10mm dia. spot weld cutter | | |
| | 5 extra replacement cutters | | |
| | 2 extra center pins | | |
| | 1 8mm dia. cobalt spot weld drill | | |
| | Spot Weld Cutter Sets are designed for the auto spot welds on thin sheet metal, aluminum, and | • | or removing |

HIGH SPEED STEEL

ANNULAR (STRUCTURAL) CUTTER SETS

METAL INDEX

| iLLUSTRATION | DEPTH OF CUT | STEEL SPECS | ITEM NO. | PRICE |
|--------------|--------------|---|----------|--------|
| 7 PC SET | | 7 PC CONTENTS | | |
| | 7/ | 16, 9/16, 11/16, 13/16, 15/16, 1-1/16 and 1 Pil | ot Pin | |
| | 1" | HIGH SPEED STEEL | AC1DS-7 | 235.84 |

PLASTIC CASE

| iLLUSTRATION | DEPTH OF CUT | STEEL SPECS | ITEM NO. | PRICE | | |
|--|----------------|---|-----------------|--------|--|--|
| (6 PC SET PICTURED) | | 6 PC CONTENTS | | | | |
| | | 9/16, 11/16, 13/16, 15/16, 1-1/16 and 1 Pilot Pin | | | | |
| | 1" | HIGH SPEED STEEL | AC1DS-6 | 223.66 | | |
| | 2" | HIGH SPEED STEEL | AC2DS-6 | 515.56 | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | 10 PC CONTENTS | | | | | |
| | 1/2 | 2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1 and 2 Pil | ot Pins | | | |
| Francisco de mario de | 1" | HIGH SPEED STEEL | AC1DS-10 | 378.00 | | |
| 12 V5 12 12 102 | | | | | | |
| | | 12 PC CONTENTS | | | | |
| 44546 | 1/2, 9/16, | 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16 a | nd 2 Pilot Pins | | | |
| and the same transfer and the same same same and the same same same same same same same sam | 2" | HIGH SPEED STEEL | AC2DS-12 | 611.12 | | |
| | | | | | | |
| The ACC ACC ACC ACC ACC ACC ACC ACC ACC AC | | | | | | |
| | | | | | | |

HIGH SPEED STEEL

PLASTIC & LAMINATE DRILL SETS

METAL INDEX

| iLLUSTRATION | TYPE OF DRILLS | ITEM NO. | PRICE |
|---------------------|--|------------|-------|
| 7 PC DRILL SET | SPECIAL POINT | | |
| 1/8 to 1/2 by 16ths | Plastic Laminate Drills - Straight Shank | DS-PLD-7 | 64.66 |
| | Bright Finish - Special Point | | |
| ICS | Plastic Laminate Drills - 1/4" Shank | DS-PLDQS-7 | 73.02 |
| 472. | Bright Finish - Special Point | | |
| 100000 | Plastic Laminate Drills - 3/8" Shank | DS-PLDTS-7 | 69.36 |
| 1 2 2 2 2 | Bright Finish - Special Point | | |
| | 60° POINT | | |
| | Plastic Laminate Drills - Straight Shank | DS-PLB-7 | 67.96 |
| 000 | Bright Finish - 60° Point Drill | | |

TOOL STEEL

MULTI-ANGLE DRILL SETS

PLASTIC INDEX

| ILLUSTRATION | TYPE OF DRILL INDEX | ITEM NO. | PRICE |
|--------------|---|----------|-------|
| | 4 pc Set (3/8, 1/2, 3/4, 1") | DS-MAD-4 | 31.50 |
| | 7 pc Set (3/8, 1/2, 5/8, 3/4, 7/8, 1", 1-1/4) | DS-MAD-7 | 58.80 |
| | 9 pc Set (1/4, 3/8, 1/2, 5/8, 3/4, 13/16, 7/8, 1", 1-1/4) | DS-MAD-9 | 88.20 |

UNIVERSAL DRILL SET

METAL INDEX

| illustration | CONTENTS | ITEM NO. | PRICE |
|---|--|-----------------------|--------------|
| | 7 PC SET | DS-CTUD-7 | 105.76 |
| (C) | Universal Drill Set - Carbide Tipped | | |
| | 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2 | | |
| | Designed with a diamond ground special drill point for multi-peffective for drilling hard metals and alloys, reinforced concret granite, glass, hard and soft woods, plastics and many other drill out broken taps and hardened bolts. | e, stone, tile, ceram | ics, marble, |

MASONRY HAMMER DRILL SETS - SDS SHANK

METAL CASE

| CONTENTS (7 PC SET) | SHANK | ITEM NO. | PRICE |
|--|--------------|-----------|--------|
| 1 each: 3/16 x 4, 1/4 x 4; 2 each: 1/4 x 6; 1 each: 5/16 x 6, 3/8 x 6, 1/2 x 6 | SDS Shank | MDS-SDS-7 | 97.74 |
| 1 each: 3/16 x 4, 1/4 x 4; 2 each: 1/4 x 6; 1 each: 5/16 x 6, 3/8 x 6, 1/2 x 6 | Ramset Shank | MDS-RAM-7 | 106.56 |

WOOD (SPADE) BIT SET

VINYL POUCH

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|--|--|--------------|-------|
| SPADE BIT SET | 6 PC SET 3/8, 1/2, 5/8, 3/4, 7/8, 1" 6" Wood Bits-Spade Type | WBS-WBS06L-6 | 14.36 |
| TO LOVE MALE IN THE LOVE HAVE IN THE LOV | Designed for boring holes quickly through all types of plywood. They perform best at high RPM speeds and are and heat treated with six ground flats on 1/4" shank. | | |

TOOL STEEL FORSTNER BIT SETS

PLASTIC CASE

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|---|---|---------------------|-----------|
| (8 PC SET PICTURED) | 8 PC SET | WBS-FB-08 | 280.88 |
| | 2-1/4 to 3-1/8 by 8ths | | |
| Care Van Alba Valanta | 5 PC SET | WBS-FB-05 | 50.40 |
| | 3/4, 7/8, 1, 1-1/4, 1-5/8 | | |
| | 7 PC SET | WBS-FB-07 | 47.26 |
| | 1/4 to 1" by 8ths | | |
| A - A - A - A - A - A - A - A - A - A - | 16 PC SET | WBS-FB-16 | 115.50 |
| | 1/4 to 2-1/8 by 8ths | | |
| | 24 PC SET | WBS-FB-24 | 252.28 |
| | 1/4 to 3-1/8 by 8ths | | |
| | Forstner bits are designed for intricate wood | | |
| | flat bottom or through holes. Can bore any | | |
| | circular rim instead of center. Will cut satir | | |
| | grain or knots. Forstner bits are available ma Carbon Steel stock. Sizes 2-1/4" and over h | • | |
| | Carbon Steel Stock. Sizes 2-1/4 and over in | ave muni-spur culti | ng euges. |

TOOL STEEL MULTI-SPUR PIPE BIT SETS

PLASTIC CASE

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|---------------------|--|------------|--------|
| (4 PC SET PICTURED) | 4 PC SET 1-3/8, 1-1/2, 2-1/8, 2-9/16 | WBS-MSPB-4 | 119.70 |
| | 8 PC SET 1", 1-1/8, 1-1/4,1-3/8, 1-1/2, 1-3/4, 2, 2-1/8 | WBS-MSPB-8 | 241.50 |
| | Beveled saw teeth allow smooth boring of holes. rear of bit, allowing deep holes to be bored without | | |

and electrical work.

WOOD (BRAD POINT) DRILLS SETS

SPECIAL PURPOSE

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|------------------------------------|---|-------------|-------|
| | High Speed Steel | DS-WDBP-7 | 35.16 |
| 10 FM | 7 PC SET - 1/8 to 1/2 by 16ths | | |
| 9 7 7 | High Speed Steel - Carbide Tipped | DS-CTWDBP-7 | 55.42 |
| | 7 PC SET - 1/8 to 1/2 by 16ths | | |
| 1/8 3/16 1/4 5/16 3/8 7/16 1/2 ICS | Designed to drill smooth, accurate holes in wood with minimum tear-out. Center spur point holds drill on target and prevents walking when two cutting spurs make contact with a surface, so even overlapping holes can be drilled. Drills are made of chrome vanadium steel and will stay sharp much longer than high carbon tool steels. | | |

PERFECT POINT WOOD DRILL SETS

METAL INDEX

| iLLUSTRATION | CONTENTS | SHANK | ITEM NO. | PRICE |
|---|--|---------------------------------|---|------------------------|
| (7 PC SET PICTURED) | JOBBER LENGTH | | | |
| | Bright Finish Perfect Pt. Wood Drills | Straight | DS-PPWD-7 | 64.66 |
| ICS | 7 PC SET - 1/8 to 1/2 by 16ths | | | |
| | Bright Finish Perfect Pt. Wood Drills | 3/8 | DS-PPWDTS-7 | 69.36 |
| MAS a | 7 PC SET - 1/8 to 1/2 by 16ths | | | |
| W 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | SILVER & DEMING - 1/2" SHANK | | | |
| | Dual Finish Perfect Pt. Wood Drills | 1/2 | DS-PPWDRS-8 | 307.28 |
| 1 16 8 16 4 10 | 8 PC SET - 9/16 to 1" by 16ths | | | |
| | Perfect Point ® Wood Drills are designed to drill or through holes without splintering or tearing wo they do not tear wood grain when breaking through last three to five times longer than Brad Point Drill | od grain surf gh exit side o | ace. They are unique f hole. They outperf | ue in that form and |

TAPER POINT DRILL SET

VINYL POUCH

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|--------------------------------|---|------------|-------|
| 7 PC Taper Point Drill Set | 1 each: 1/8, 9/64, 5/32, 11/64, 3/16, 7/32, 1/4 | DS-TPDRL-7 | 19.42 |
| 7 PC HSS TAPER POINT DRILL SET | Taper Point Drills Regular Length | | |

INTERCHANGEABLE PILOT COUNTERBORE SET

WOOD BOX

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|-------------|--|-----------|--------|
| | 39 PC SET | CS-ICP-39 | 538.12 |
| | Straight Shank - 1/4 to 1" by 16ths | | |
| ICS N | Interchangeable Pilots | | |
| | 1/8, 5/32, 3/16, 1/4 with 3/32 Shank | | |
| | 3/16, 7/32, 1/4, 9/32, 5/16 with 5/32 Shank | | |
| 9999 | 1/4, 5/16, 3/8, 7/16, 1/2 with 3/16 Shank | | |
| 999 | 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 with 1/4 Shank | | |
| 9999 | 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 with 5/16 Shank | | |
| 9999 | | | |
| | Designed to create a recess for a cap screw, spring or bolt. They a used with interchangeable pilots ground to fit various hole sizes to l counterbored. | | • |

CAP SCREW COUNTERBORE SETS

WOOD STAND

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|----------------------------------|---|-------------|--------|
| CAP SCREW COUNTERBORE SET | 4 PC SET 3 Flute - Straight Shank #8, #10, 1/4, 3/8 | CS-CSC3F-4 | 105.84 |
| METRIC CAP SCREW COUNTERBORE SET | 7 PC SET 3 Flute - Straight Shank M3, M4, M5, M6, M8, M10, M12 | CS-CSC3FM-7 | 282.98 |

FILLISTER HEAD SCREW COUNTERBORE SETS

WOOD STAND

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|---------------------------------|---|-----------|--------|
| FILLISTER HEAD COUNTERBORE SETS | 5 PC SET 2 Flute - Straight Shank | CS-FHSC-5 | 75.26 |
| | #2, #4, #6, #8, #10 | | |
| | 4 PC SET | CS-FHSC-4 | 129.36 |
| | 2 Flute - Straight Shank 1/4, 5/16, 3/8, 1/2 | | |

HIGH SPEED STEEL COUNTERSINK SETS

WOOD STANDS

| DESCRIPTION | ITEM NO. | INCLUDED ANGLE | PRICE |
|-----------------------------------|-------------|-------------------|--------|
| 5 PC COUNTERSINK SETS | SII | NGLE FLUTE | |
| | → CSKS160-5 | 60° | 82.28 |
| | CSKS182-5 | 82° | 82.28 |
| | CSKS190-5 | 90° | 82.28 |
| | CSKS100-5 | 100° | 82.28 |
| | CSKS110-5 | 110° | 82.28 |
| | CSKS120-5 | 120° | 82.28 |
| | THREE FLU | TE (CENTER REAMER |) |
| | CSKS360-5 | 60° | 82.28 |
| | CSKS382-5 | 82° | 82.28 |
| | CSKS390-5 | 90° | 82.28 |
| ICS | CSKS300-5 | 100° | 82.28 |
| | CSKS310-5 | 110° | 82.28 |
| | CSKS320-5 | 120° | 82.28 |
| | SIX FLUT | E (CHATTERLESS) | |
| | CSKS660-5 | 60° | 96.38 |
| | CSKS682-5 | 82° | 96.38 |
| | CSKS690-5 | 90° | 96.38 |
| SIZES IN SETS | CSKS600-5 | 100° | 96.38 |
| _ | → CSKS620-5 | 120° | 96.38 |
| 1/4", 3/8", 1/2", 5/8", 3/4"————— | | LUTE (MACHINE) | |
| | → CSKS460-5 | 60° | 197.70 |
| 1/2", 5/8", 3/4", 7/8", 1 | CSKS482-5 | 82° | 197.70 |
| | → CSKS490-5 | 90° | 197.70 |
| #0, 1, 2, 3, 4 | | UTE (DEBURRING) | |
| <u></u> | → CSKS060-5 | 60° | 80.40 |
| Custom sets are available | CSKS082-5 | 82° | 80.40 |
| Inquire for pricing. | → CSKS090-5 | 90° | 80.40 |

COMBINED DRILL & COUNTERSINK SETS

VINYL POUCH

| ILLUSTRATION | DESCRIPTION | TYPE OF DRILL | ITEM NO. | PRICE |
|--------------|------------------|---|-----------|-------|
| | 5 PC SET | HSS - Plain - 60° | DS-CDC-5 | 21.18 |
| | Sizes #1 to #5 | Titanium Nitride Coated - Plain - 60° | DS-CDCT-5 | 48.80 |
| | | Cobalt - Plain - 60° | DS-CDCC-5 | 60.04 |
| | | Plain Type Combined Drills & Counter produce accurate center holes in con machining between centers | | |
| | 5 PC SET | HSS - Bell - 60° | DS-CDC-5B | 25.00 |
| | Sizes #11 to #15 | Bell Type Combined Drills & Countersin additional small 120° chamfer to protect | • | |

INDEXABLE COUNTERSINK SETS

WOOD CASE

| ILLUSTRATION | CONTENTS | POINT ANGLE | ITEM NO. | PRICE |
|---------------------|--------------------------------------|------------------|-------------------|--------|
| (4 PC SET PICTURED) | 4 PC SET | 60° | ICSKS060-4 | 199.60 |
| | 1/2, 3/4, | 82° | ICSKS082-4 | 199.60 |
| | 1-3/4, 2-1/2 | 90° | ICSKS090-4 | 199.60 |
| | 3 PC SET | 60° | ICSKS060-3 | 163.16 |
| | 3/4, 1-3/4, 2-1/2 | 82° | ICSKS082-3 | 163.16 |
| | | 90° | ICSKS090-3 | 163.16 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Designed with a chatter. No tool res | sharpening neede | ed. Uses standard | |
| | or triangle inserts t | nat come with co | untersink. | |

HIGH SPEED STEEL

1/2" SHANK SILVER & DEMING REAMER SETS

ICS WIS

PLASTIC CASE


| ILLUSTRATION | CONTENTS | SHANK | ITEM NO. | PRICE |
|--------------------------------|---------------------------------|------------|---------------|--------|
| (6 PC SET PICTURED) | STR | AIGHT FLU | TE | |
| | 6 PC SET | | | |
| | 5/8, 11/16, 3/4, 13/16, 7/8, 1" | 1/2" | RS-CRSFRS6L-6 | 369.14 |
| 3/4" 11/16" 3/4" 13/16" 11/18" | Straight Flute | | | |
| | 4 PC SET | | | |
| | 1-1/8, 1-1/4, 1-3/8, 1-1/2 | 1/2" | RS-CRSFRS6L-4 | 534.08 |
| | Straight Flute | | | |
| | HE | LICAL FLU1 | ſΕ | |
| | 6 PC SET | | | |
| | 5/8, 11/16, 3/4, 13/16, 7/8, 1" | 1/2" | RS-CRHFRS6L-6 | 414.06 |
| | Helical Flute | | | |
| | 4 PC SET | | | |
| | 1-1/8, 1-1/4, 1-3/8, 1-1/2 | 1/2" | RS-CRHFRS6L-4 | 595.60 |
| | Helical Flute | | | |
| | | | | |
| | | | | |
| | | | | |

CHUCKING REAMER SETS

STRAIGHT SHANK

METAL INDEX

STRAIGHT FLUTE



HIGH SPEED STEEL

JOBBER REAMER SET - TAPER SHANK

ICS WIS

PLASTIC CASE

RIGHT HAND CUT

| CONTENTS | SHANK | ITEM NO. | PRICE |
|-------------------------------------|-------|--------------|---------|
| 10 PC SET | Taper | RS-TSJRSF-10 | 2649.96 |
| 15/16, 1, 1-1/16, 1-1/8, 1-3/16 | | | |
| 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2 | | | |

HIGH SPEED STEEL

TAPER PIN REAMER SETS

ICS WIS

PLASTIC CASE

RIGHT HAND CUT

| CONTENTS | FLUTE | ITEM NO. | PRICE |
|-------------------------|----------------|-------------|--------|
| 11 PC SET | Straight Flute | RS-TPRSF-11 | - |
| #0, #1, #2, #3, #4, #5, | Spiral Flute | RS-TPRSP-11 | 411.40 |
| #6, #7, #8, #9, #10 | Helical | RS-TPRHF-11 | - , |


HIGH SPEED STEEL

AUTOMOTIVE STEERING AND SUSPENSION REAMER SET

ICS WIS

PLASTIC CASE

RIGHT HAND CUT



ADJUSTABLE HAND REAMER SETS

ICS WIS

PLASTIC CASE

RIGHT HAND CUT

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE | |
|----------------------|--|-----------|--------|--|
| (11 PC SET PICTURED) | 4 PC SET | RS-AHR-4 | 232.42 | |
| | 8A to 5A | | | |
| Emma Name | 8 PC SET | RS-AHR-8 | 559.08 | |
| | A to H | | | |
| | 11 PC SET | RS-AHR-11 | 839.08 | |
| | A to K | | | |
| | Designed with enough of an adjustment range to ream almost any odd encountered in reaming. The blades are made of high speed steel for lo can be adjusted by loosening one nut while tightening the other. The | | | |

^{*} Custom sets can be made per customer requirements. Inquire for pricing.

LONG PILOT ADJUSTABLE HAND REAMER SETS

mostly for repair work in the field.

ICS WIS

PLASTIC CASE

RIGHT HAND CUT

| ILLUSTRATION | CONTENTS | ITEM NO. | PRICE |
|---------------------|--|-------------------|------------|
| (8 PC SET PICTURED) | 4 PC SET | RS-LPAHR-4 | 480.34 |
| | 8A to 5A | | |
| H G F | 8 PC SET | RS-LPAHR-8 | 983.28 |
| | A to H | | |
| | 11 PC SET | RS-LPAHR-11 | 1605.40 |
| | A to K | | |
| | Designed for in line reaming when two holes are space pilot uses a "floating" tapered guide sleeve which is the reamer as it reams the other hole. The tapered guide sleeve which is | seated in one hol | e to guide |

^{*} Custom sets can be made per customer requirements. Inquire for pricing.

TOWER BOLT REAMER SET

either end of the other hole.

close quarters.

| DESCRIPTION | CONTENTS | ITEM NO. | PRICE |
|-------------|--|----------|--------|
| | 3 PC SET | TBRS-3 | 181.90 |
| | 9/16, 11/16, 13/16 | | |
| | | | |
| | | | |
| | | | |
| | Designed for lining up bolt holes on cell phone towers, | | |
| | towers. They have three flats on the shank for use in and pneumatic equipment. The extra short length is | | |

SCREW EXTRACTOR SETS

PLASTIC CASE

| ILLUSTRATION | CONTENTS | TYPE | ITEM NO. | PRICE |
|--------------------------|--|---|--------------------|-----------|
| (9 PC SET PICTURED) | Sizes #1 to #9 | Helical Flute - Round Shank | SXS-HF-9 | 100.56 |
| | Sizes #1 to #7 | | SXS-HF-07 | 30.00 |
| | Sizes #1 to #6 | | SXS-HF-06 | 26.80 |
| | Sizes #1 to #7 | Straight Flute - Straight Shank | SXS-SF-07 | 44.04 |
| | Used to remove broken damage to the threader | n screws, bolts, studs, pipe, and lud hole. | ubrication fitting | s without |
| | VINYL PO | DUCH | | |
| 5 PC SCREW EXTRACTOR SET | 5 PC SET • #1 to #5 | Helical Flute - Round Shank | SXS-HF-5 | 12.28 |
| | 5 PC SET • #1 to #5 | Straight Flute - Square Shank | SXS-SF-5 | 15.40 |
| (VINYL POUCH) | 5 PC SET • #1 to #5 | Straight Flute - Round Shank | SXS-SFR-5 | 17.34 |

SCREW EXTRACTOR AND DRILL SETS

METAL CASE

| CONTENTS | TYPE OF SCREW EXTRACTOR & DRILLS | ITEM NO. | PRICE |
|---|---|----------|-------|
| 10 PC SCREW EXTRACTOR SET One each Sizes #1 to #5 Screw Extractors | Helical Flute Screw Extractors Screw Machine Drills - RH cut | SXDS-10 | 23.52 |
| One each 5/64, 7/64, 5/32, 1/4, 19/64 Screw Machine Drills with RH or LH cut | Helical Flute Screw Extractors Screw Machine Drills - LH cut | SXDS-10L | 36.50 |

10 PC MULTI-SPLINE SCREW EXTRACTOR SET

PLASTIC CASE

CONTENTS

ITEM NO.

3/8

13/32

PRICE

11/16

3/4

ILLUSTRATION

| 000 | 10 PC SET 1/8, 5/32, 3/16, 7/32, 1/4 | 1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32 | | |
|-------|---|---|--|-----------|
| | | sive left hand spi | ket screws, and lubricatior ral design for maximum gr | |
| 67777 | MULTI-SPLINE | FOR | MULTI-SPLINE | FOR |
| AAAA | SCREW EXTRACTOR | BOLT SIZE | SCREW EXTRACTOR | BOLT SIZE |
| | 1/8 | #12 | 9/32 | 1/2 |
| | 5/32 | 1/4 | 5/16 | 9/16 |
| | 3/16 | 5/16 | 11/32 | 5/8 |

3/8

7/16


7/32

1/4

10 PC BOLT AND NUT EXTRACTOR SET

ALUMINUM CASE

Hex Head Bolt and Nut Extractors are used for removing damaged fasteners and rounded-off hex bolts and nuts. They are designed with a reverse spiral flute to grip a damaged fastener as you turn the tool and they can be used with most wrenches or a ratchet socket. They will remove both metric and inch size fasteners from 9-19mm or 3/8" to 3/4".




10 PC BROKEN TAP EXTRACTOR SET

ICS WIS

PLASTIC CASE

ICS Broken Tap Extractors are used to remove broken taps without damage to the threaded hole. They have hardened steel fingers to fit in the flutes of a broken tap to turn it out safely, and can be used with a socket or tap wrench.



TAPER PIPE TAP SETS

GENERAL PURPOSE

6 Piece High Speed and Carbon Steel American National Standard Pipe Thread Tap Sets are available in NPT, NPTF, NPS, NPSF, NPT-Interrupted, and NPT-Left hand thread forms. They are made to ANSI B1.20.1-1983 tap dimensions.

| | | STEEL | | THREAD | ITEM | |
|--------------|-----------------------------------|-----------|----------------|----------------|-----------|--------|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | FORM | NO. | PRICE |
| | 6 PC Pipe Tap Set | CS | Right Hand | Taper | TS-CNPT-6 | 151.06 |
| | available in hinged | HSS | Right Hand | Taper | TS-NPT-6 | 292.56 |
| | wooden case or industrial plastic | HSS | Right Hand | Interrupted | TS-NPTI-6 | 381.02 |
| | case. | HSS | Right Hand | Straight | TS-NPS-6 | 311.90 |
| | Contents of set is | HSS | Left Hand | Reg. Taper | TS-NPTL-6 | 488.02 |
| | listed below. | | | | | |
| | | | CONTEN | TS | | |
| | American - 1/8-27, 1/4 | 4-18, 3/8 | -18, 1/2-14, 3 | 3/4-14, 1-11-1 | 1/2 | |

CARBON STEEL - HIGH SPEED STEEL BRITISH STANDARD PIPE TAP SETS

(GENERAL PURPOSE)

6 Piece High Speed and Carbon Steel British Standard Pipe Thread Tap Sets are available in BSPT and BSPF thread forms. They are made to BS2779-ISO529 tap dimensions.

| | | STEEL | | THREAD | ITEM | |
|--------------|--------------------------|-----------|-----------------|------------|------------|--------|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | FORM | NO. | PRICE |
| | 6 PC Pipe Tap Set | CS | Right Hand | Reg. Taper | TS-CBSPT-6 | 162.12 |
| | available in hinged | HSS | Right Hand | Reg. Taper | TS-BSPT-6 | 553.76 |
| | wooden case or | HSS | Right Hand | Parallel | TS-BSPP-6 | 553.76 |
| | industrial plastic case. | | | | | |
| | Contents of set is | | | | | |
| | listed below. | | | | | |
| | | | | | | |
| | | | CONTENT | rs | | |
| | British - 1/8-28, 1/4-19 | , 3/8-19, | , 1/2-14, 3/4-1 | 4, 1-11 | | , |


TOOL STEEL HEXAGON RETHREADING DIE SETS

WOODEN CASES

| | | | THREAD | ITEM | |
|---|---|---------------------|----------------|--------------------|----------|
| ILLUSTRATION | DESCRIPTION | CUT | TYPE | NO. | PRICE |
| 5 PC HEX DIE SET | 5 PC Hex Die Set in a | Right Hand | Coarse | DS-HRD-5C | 84.80 |
| 8 | hinged wooden case. | Right Hand | Fine | DS-HRD-5F | 84.80 |
| | Contents of NC, NF, and | Left Hand | Coarse | DS-HRDL-5C | 103.16 |
| | Metric sets are listed below. | Left Hand | Fine | DS-HRDL-5F | 103.16 |
| | (Specify style required.) | Right Hand | Metric | DS-HRDM-5C | 106.66 |
| | SIZ | ES OF DIES IN | 5 PC SET | | |
| | NC (Coarse) 1/4-20, 5/16-18, 3/ | 8-16, 7/16-14, | 1/2-13 | | |
| SIZES: | NF (Fine) 1/4-28, 5/16-24, 3/8-2 | 4, 7/16-20, 1/2 | -20 | | |
| 1/4 to 1/2 or M6 to M14 | M (Metric) M6.0 x 1.0, M8.0 x 1 | .25, M10.0 x 1. | 5, M12.0 x 1.7 | 75, M14.0 x 2.0 | |
| | | | | | ' |
| 8 PC HEX DIE SET | 8 PC Hex Die Set in a | Right Hand | Coarse | DS-HRD-8C | 127.74 |
| 6 | hinged wooden case. | Right Hand | Fine | DS-HRD-8F | 127.74 |
| | Contents of NC, NF, and | Left Hand | Coarse | DS-HRDL-8C | 163.20 |
| ◎=ॐ=ॐ=ॐ=ॐ=ॐ =ॐ=ॐ | Metric sets are listed below. | Left Hand | Fine | DS-HRDL-8F | 163.20 |
| | (Specify style required.) | Right Hand | Metric | DS-HRDM-8C | 172.08 |
| | | ES OF DIES IN | | | |
| | NC (Coarse) 1/4-20, 5/16-18, 3, | | | 12 5/8-11 3/4-1 | |
| | NF (Fine) 1/4-28, 5/16-24, 3/ | | | | |
| SIZES: | M (Metric) M6.0 x 1.0, M8.0 x | | | | |
| 1/4 to 3/4 or M6 to M20 | M16.0 x 2.0, M18.0 | | | 1.75, W14.0 X 2.0, | 1 |
| 1/4 to 3/4 of 10/0 to 10/20 | W110.0 X 2.0, W110.0 | 7 X 2.5, 10120.0 X | . 2.0 | | |
| 10 PC HEX DIE SET | 10 PC Hex Die Set in a | Right Hand | Coarse | DS-HRD-10C | 121.12 |
| 10 FC HEX DIE SET | | Right Hand | Fine | DS-HRD-10F | 121.12 |
| | hinged wooden case. | Left Hand | | DS-HRDL-10C | 243.74 |
| \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | Contents of NC, NF, and | | Coarse | DS-HRDL-10C | |
| | Metric sets are listed below. | Left Hand | Fine | | 243.74 |
| | (Specify style required.) | Right Hand | Metric | DS-HRDM-10C | 241.42 |
| | | S OF DIES IN | | /0.44.0/4.40.7/0.6 | |
| | NC (Coarse) 1/4-20, 5/16-18, 3/8 | | | | |
| 01750 | NF (Fine) 1/4-28, 5/16-24, 3/8-2 | | | | |
| SIZES: | M (Metric) M6.0 x 1.0, M8.0 x 1 | | | M14.0 X 2.0, M16.0 | J X 2.0, |
| 1/4 to 1 or M6 to M24 | M18.0 x 2.5, M20.0 | X 2.5, IVI22.U X 2. | 5, M24.0 X 3.0 | | |
| | 4.50.11 51 6 11 | 5 | | | 4.40.70 |
| 4 PC HEX DIE SET | 4 PC Hex Die Set in a | Right Hand | Coarse | DS-HRD-4C | 140.70 |
| | hinged wooden case. | Right Hand | Fine | DS-HRD-4F | 140.70 |
| | Contents of NC, NF, and | Left Hand | Coarse | DS-HRDL-4C | 319.48 |
| | Metric sets are listed below. | Left Hand | Fine | DS-HRDL-4F | 319.48 |
| | (Specify style required.) | Right Hand | Metric | DS-HRDM-4C | 233.76 |
| | | ES OF DIES IN | | | |
| | NC (Coarse) 1-1/8-7, 1-1/4-7, 1 | -3/8-6, 1-1/2-6 | 3 | | |
| SIZES: | NF (Fine) 1-1/8-12, 1-1/4-12 | , 1-3/8-12, 1-1/ | /2-12 | | |
| 1-1/8 to 1-1/2 or M27 to M36 | M (Metric) M27.0 x 3.0, M30.0 | 0 x 3.5, M33.0 x | 3.5, M36.0 x | 4.0 | |

HEXAGON RETHREADING PIPE DIE SET

PLASTIC CASE



CARBON STEEL / HIGH SPEED STEEL 12 PC PIPE TAP AND HEXAGON DIE SETS

PLASTIC CASE

12 Piece High Speed/Carbon Steel NPT Pipe Tap & Hex Die Sets are designed to repair damaged NPT pipe threads. Sets come in a deluxe black plastic carrying case. Each 12 piece set contains one NPT Pipe Tap and NPT Hex Die in the following sizes: 1/8 - 27, 1/4 - 18, 3/8 - 18, 1/2 - 14, 3/4 - 14, and 1 - 11-1/2.

| ILLUSTRATION | DESCRIPTION | CUT | ITEM NO. | PRICE |
|------------------------|-----------------------------------|------------------|------------------------|--------|
| 12 PC NPT | Each set contains one each | Right Hand | THDS-CS-12NPT | 207.90 |
| PIPE TAP & HEX DIE SET | NPT Pipe Tap & Hex Die in | | Carbon Steel Taps/Dies | |
| | your choice of either carbon | Right Hand | THDS-HS-12NPT | 563.80 |
| | steel, high speed steel or a | | HSS Taps/Dies | |
| | combination of high speed | Right Hand | THDS-HSC-12NPT | 380.10 |
| | steel taps and carbon steel | | HSS Taps | |
| | hex dies. | | Carbon Steel Dies | |
| | SIZES C | OF NPT PIPE T | APS & HEX DIES | |
| Sizes: 1/8" - 1" | 1/8 - 27, 1/4 - 18, 3/8 - 18, 1/2 | 2 - 14, 3/4 - 14 | , 1 - 11-1/2 | |

Note: Carbon Steel Taps are for rethreading only. HSS taps and dies can be used for rethreading and cutting new threads with taps.

HEXAGON THREADING DIE SETS

WOODEN CASES

| | | | THREAD | ITEM | |
|---|---|-------------------|-----------------|----------------------|--------|
| ILLUSTRATION | DESCRIPTION | CUT | TYPE | NO. | PRICE |
| 5 PC HSS HEX DIE SET | 5 PC Hex Die Set in a hinged | Right Hand | Coarse | DS-HTD-5C | 131.28 |
| () () () () () () () () () () | wooden case. Contents of NC, | Right Hand | Fine | DS-HTD-5F | 131.28 |
| | NF, and Metric sets are listed | | | | |
| | below. (Specify style required.) Black & Gold finish. | | | | |
| | | H SPEED STE | EL DIES IN 5 | PC SET | |
| | NC (Coarse) 1/4-20, 5/16-18, 3/ | | | | |
| SIZES: 1/4 to 1/2 | NF (Fine) 1/4-28, 5/16-24, 3/8-2 | | | | |
| | (-,,, | , , , , , , | | | |
| 8 PC HSS HEX DIE SET | 8 PC Hex Die Set in a hinged | Right Hand | Coarse | DS-HTD-8C | 223.54 |
| | wooden case. Contents of NC, | Right Hand | Fine | DS-HTD-8F | 223.54 |
| | NF, and Metric sets are listed | riigiit riaria | 1 1110 | DO-1111D-01 | 220.04 |
| | below. (Specify style required.) | | | | |
| | Black & Gold finish. | | | | |
| | | H SPEED STE | | | |
| SIZES: | NC (Coarse) 1/4-20, 5/16-18, 3, | | | | |
| 1/4 to 3/4 | NF (Fine) 1/4-28, 5/16-24, 3/ | /8-24, 7/16-20, | 1/2-20, 9/16- | 18, 5/8-18, 3/4-1 | 6 |
| | | | | 1 | |
| 10 PC HSS HEX DIE SET | 10 PC Hex Die Set in a hinged | Right Hand | Coarse | DS-HTD-10C | 328.24 |
| | wooden case. Contents of NC, NF, and Metric sets are listed | Right Hand | Fine | DS-HTD-10F | 328.24 |
| ************************************** | below. (Specify style required.) | | | | |
| | Black & Gold finish. | | | | |
| | SIZES OF HIG | H SPEED STEE | L DIES IN 10 | PC SET | |
| SIZES: | NC (Coarse) 1/4-20, 5/16-18, 3/8-1 | 6, 7/16-14, 1/2-1 | 3, 9/16-12, 5/8 | 3-11, 3/4-10, 7/8-9, | 1-8 |
| 1/4 to 1 | NF (Fine) 1/4-28, 5/16-24, 3/8-24 | , 7/16-20, 1/2-20 | , 9/16-18, 5/8- | 11, 3/4-16, 7/8-14, | 1-14 |
| | | | | | |
| 4 PC HSS HEX DIE SET | 4 PC Hex Die Set in a hinged | Right Hand | Coarse | DS-HTD-4C | 465.26 |
| 8 | wooden case. Contents of NC, | Right Hand | Fine | DS-HTD-4F | 465.26 |
| | NF, and Metric sets are listed | | | | |
| | below. (Specify style required.) | | | | |
| (27 (27 (27) | Black & Gold finish. | H SPEED STE | FL DIES IN 4 | PC SET | |
| | | | | T-O-SET | |
| SIZES: | NC (Coarse) 1-1/8-7, 1-1/4-7, 1 | | | | |
| 1-1/8 to 1-1/2 | NF (Fine) 1-1/8-12, 1-1/4-12 | i, 1-3/8-12, 1-1/ | 72-12 | | |

NOTE: Special boxed sets can be made to your requirements.

40 PC TAP AND HEX DIE SETS

METAL CASES

| | | STEEL | | THREAD | ITEM | |
|---------------------------|--|-----------------------------|-----------------|-------------|-----------------------|----------|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | TYPE | NO. | PRICE |
| 40 PC TAP AND HEX DIE SET | 40 PC Tap and Hex Die Set in plastic case. Each set contains one each NC and NF Plug Tap and Hexagon Die. Sizes are listed below. Set also | CS HSS | Right Hand | NPT | THDS-CS-40 THDS-HS-40 | |
| | includes 1/8-27 NPT Pipe Tap and 6 threading tools. | S OF TAPS | S AND HEX D | DIES IN SE | T. | |
| | NC (Coarse) #4-40, #6-32, #6-3 | 8-32, #10-24 5/16-24, 3/ | 1, #12-24, 1/4- | 20, 5/16-18 | | , 1/2-13 |
| | | THREADI | NG TOOLS II | N SET | | |
| | Adjustable Die Stock - 1" ro | und or hex | T-Handle Ta | ap Wrench | ı - #0 to 1/4" | |
| | Adjustable Tap Wrench - #4 | to 1/2" | T-Handle Ta | ap Wrench | ı - 1/4" to 1/2" | |
| | Screw Pitch Gauge - Fraction | nal | #5 Screwdr | iver | | |

40 PC METRIC TAP AND HEX DIE SET

METAL CASES

| | | STEEL | | THREAD | ITEM | | | |
|------------------------------------|--|-------------|-----------------|----------------|----------------------|--------|--|--|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | TYPE | NO. | PRICE | | |
| 40 PC TAP AND HEX DIE SET | 40 PC Tap and Hex | CS | Right Hand | NC, NF | THDS-CS-40M | 189.24 | | |
| | Die Set in plastic case. | | | BSPT | | | | |
| | Each set contains one | | | | | | | |
| | each NC and NF Plug | | | | | | | |
| | Tap and Hexagon Die. Sizes are listed below. | | | | | | | |
| | Set also includes 1/8- | | | | | | | |
| 0000000000000000000000000000000000 | 28 BSPT Pipe Tap and | | | | | | | |
| | 6 threading tools. | | | | | | | |
| 宝宝出 | SIZES OF TAPS AND HEX DIES IN SET | | | | | | | |
| 8 7 8 | NC (Coarse) M3.0 x .50, N | 14.0 x .70, | M5.0 x .80, M | 6.0 x 1.0, M7. | 0 x 1.0, M8.0 x 1.25 | 5 | | |
| | M9.0 x 1.25, | M10.0 x 1 | .50, M11.0 x 1 | .50, M12.0 x 1 | .75 | | | |
| | NF (Fine) M3.0 x .60, M4 | .0 x .75, N | И5.0 х .90, М9. | 0 x 1.00, M10 | .0 x 1.25, M12.0 x | 1.50 | | |
| | BSPT (British Standard) | 1/8-28 | | | | | | |
| | | THRE | ADING TOO | LS IN SET | | | | |
| | Adjustable Die Stock - 1' | ' round o | r hex | T-Handle | Tap Wrench - M3 | to M6 | | |
| | Adjustable Tap Wrench - | M3 to M | 112 | T-Handle | Tap Wrench - M6 | to M12 | | |
| | Screw Pitch Gauge - Me | tric | | #5 Screwo | driver | | | |

58 PC TAP AND HEX DIE SETS

METAL CASES

58 Piece Tap and Die Sets were originally designed to be a more advanced general purpose tap and die set for mechanics and DIY'ers for maintenance on domestic cars, motorcycles, and machinery that were manufactured using the unified inch thread standard. Each set contains the most popular sizes (#6-32 to 3/4-16) sizes that mechanics commonly use. Double layer metal case has individual compartments for tap and die storage and easy access.

| ILLUSTRATION | DESCRIPTION | STEEL SPEC | CUT | THREAD TYPE | ITEM NO. | PRICE | | | | |
|---------------------------|---|---------------|-----------------|----------------|--------------------|--------|--|--|--|--|
| 58 PC TAP AND HEX DIE SET | Each set contains one each NC and NF Plug Tap and Hexagon | CS | Right Hand | | THDS-CS-58 | 381.02 | | | | |
| | Die in your choice of either Carbon Steel, High Speed Steel, or a combination (High Speed | HSS | Right Hand | | THDS-HS-58 | 778.52 | | | | |
| = ==== | Steel Taps and Carbon Steel Hexagon Dies). | HSS & CS | Right Hand | NC, NF NPT | THDS-HS/C-58 | 558.60 | | | | |
| 0000 | SIZES OF TAPS AND HEX DIES IN SET | | | | | | | | | |
| | NC (Coarse) #6-32, #8-32, #10-24, #12-24, 1/4-20, 5/16-18, 3/8-16, | | | | | | | | | |
| | 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10 | | | | | | | | | |
| | NF (Fine) #10-32, 1/4-28, 5/16-2 | 24, 3/8-24 | 4, 7/16-20, 1/2 | 2-20, | | | | | | |
| 8 | 9/16-18,5/8-18, 3/4- | 16 | | | | | | | | |
| | NPT (Regular Taper) 1/8-27, 1/4-18 | 3 | | | | | | | | |
| -3 | TI | HREADI | NG TOOLS | IN SET | | | | | | |
| | Adjustable Tap Wrench - #4 to 1/2" | | T-Handle T | ap Wrench | - #0 - 1/4" | | | | | |
| SIZES #6 TO 3/4" | Adjustable Tap Wrench - 1/4 to 3/4" | | Screw Pitcl | n Gauge - F | ractional | | | | | |
| | Die Stock - 1" Round or Hex | | Screwdrive | r - 1/8" x 2- | 1/4" Pocket Clip | | | | | |
| | Die Stock - 1-1/2" Round or 1-7/16" | Hex | Screw Extra | actors - Spi | ral Flute -#1 to 5 | J | | | | |

65 PC TAP AND HEX DIE SETS

PLASTIC CASES


65 Piece Tap and Die Sets were originally designed to be a professional general purpose tap and die set for mechanics and DIY'ers for maintenance on domestic cars, motorcycles, and machinery that were manufactured using the unified inch thread standard. Each set contains the most popular sizes (#4-40 to 1-14) sizes that mechanics commonly use. Plastic case has individual compartments for tap and die storage and easy access.

| | | STEEL | | THREAD | ITEM | | | | |
|---------------------------|---|--------------------------------------|-------------|---------------|-------------------|---------|--|--|--|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | TYPE | NO. | PRICE | | | |
| 65 PC TAP AND HEX DIE SET | Each set contains one each NC | CS | Right Hand | NC, NF | THDS-CS-65 | 651.50 | | | |
| | and NF Plug Tap and Hexagon | | | NPT | | | | | |
| | Die in your choice of either Carbon Steel, High Speed Steel, or a combination (High Speed | HSS | Right Hand | NC, NF NPT | THDS-HS-65 | 1131.32 | | | |
| | Steel Taps and Carbon Steel | HSS | Right Hand | NC, NF | THDS-HS/C-65 | 970.20 | | | |
| | Hexagon Dies). | & CS | | NPT | | | | | |
| | SIZES (| OF TAPS | S AND HEX | DIES IN S | ET | | | | |
| | NC (Coarse) #4-40, #6-32, #8-32, #10-24, #12-24, 1/4-20, 5/16-18, 3/8-16, | | | | | | | | |
| | 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10, *7/8-9, *1-8 | | | | | | | | |
| | NF (Fine) #10-32, 1/4-28, 5/16-2 | 8, 5/16-24, 3/8-24, 7/16-20, 1/2-20, | | | | | | | |
| | 9/16-18,5/8-18, 3/4- | 16, *7/8- | 14, *1-14 | | | | | | |
| SIZES #4 TO 1" | NPT (Regular Taper) 1/8-27, 1/4-18 | 3 | | | | | | | |
| | TI | HREADI | NG TOOLS | IN SET | | | | | |
| | Adjustable Tap Wrench - #4 to 1/2" | | Die Stock - | 1-7/8" Hex | (| | | | |
| | Adjustable Tap Wrench - 1/4 to 3/4" T-Handle Tap Wrench - #0 - 1/4" | | | | | | | | |
| | Adjustable Tap Wrench - 1/2 to 1-1/ | 8" | Screw Pitch | n Gauge - F | ractional | | | | |
| | Die Stock - 1" Round or Hex | | Screwdrive | r - 1/8" x 2· | -1/4" Pocket Clip | | | | |
| | Die Stock - 1-1/2" Round or 1-7/16" | Hex | | | | | | | |

117 PC TAP AND HEX DIE SET

PLASTIC CASES

117 Piece Titanium Nitride Coated Tap and Hexagon Die Sets are designed to be a professional tap and die set for mechanics and DIY'ers for maintenance on domestic cars, motorcycles, and machinery that were manufactured using the unified inch thread standard. Each set contains the most popular fractional size (1/4 to 1/2 NF/NC) and metric size (3mm to 12mm) taps and dies as well as five spiral screw extractors with corresponding tap drill sizes. The plastic case has individual compartments for all taps, dies, screw extractors and drills for easy access.



| DE | SCRIPTION | CUT | THREAD TYPE | ITEM NO. | PRICE |
|------------------------|--|-------------------|-------------------------|-------------------|--------|
| metric plug taps and d | each NC and NF fractional and lies sizes. Sizes listed below. Set extractors and tap drills. All tools ted. | Right Hand | NC, NF, NPT | THDS-CS-117 | 378.58 |
| | SIZES OF TAPS | AND HEX DIES | IN SET | | |
| NC (Coarse) | 1/4-20, 5/16-18, 3/8-16, 7/16-14 | , 1/2-13, M3.0x0 | 0.50, M4.0x0.75, M5.0x | (0.90, M7.0x1.0, | |
| | M8.0x1.25, M9.0x1.25, M10.0x1 | .50, M12.0x1.75 | | | |
| NF (Fine) | 1/4-28, 5/16-24, 3/8-24, 7/16-20 |), 1/2-20, M4.0x0 | 0.70, M5.0x0.80, M6.0 | x1.00, M8.0x1.00, | |
| | M9.0x1.00, M10.0x1.25, M11x1. | 50, M12.0x1.50 | | | |
| NPT (Regular Taper) | 1/8-27 | | | | |
| BSPT (British Standard | l) 1/8-28 | | | | |
| | SIZES OF | DRILLS IN SET | | | |
| Fractional Sizes | 5/64, 7/64, 5/32, 1/4, 19/64, 5/16, | 21/64, 3/8, 25/6 | 64, 13/32, 27/64, 29/64 | | |
| Wire Gauge Sizes | #3, #7, #9, #16, #19, #20, #21, #2 | 5, #29, #30, #36, | , #39, #43 | | |
| Letter Drill Sizes | B, F, H, I, J, O, Q, R, S, U, Z | | | | |
| | SIZES OF SC | REW EXTRACT | ORS | | |
| Screw Extractor Sizes | #1, #2, #3, #4, #5 | | | | |
| | THREADIN | IG TOOLS IN SE | T | | |
| Adjustable Tap Wrench | n - #4 to 1/2" | T-Handle Ta | ap Wrench - #0 - 1/4" | | |

T-Handle Tap Wrench - 1/4" - 1/2"

Screw Pitch Gauge - Fractional

Screw Pitch Gauge - Metric

Die Stock - 5/8" Hex

Die Stock - 1" Hex

Screwdriver - 1/8"

45 PC CARBON TAP AND ROUND ADJUSTABLE DIE SET

PLASTIC CASES

45 Piece Carbon Steel Fractional Tap and Die Sets were originally designed to be a basic general purpose tap and die set for mechanics and DIY'ers for maintenance on domestic cars, motorcycles, and machines that were manufactured using the unified inch thread standard. Each set contains the most popular sizes (1/4-20 to 1-14) that mechanics commonly use. Plastic case has individual compartments for tap and die storage and easy access.

| | | | THREAD | ITEM | |
|---|--|------------------------|--------------|------------------|--------|
| ILLUSTRATION | DESCRIPTION | CUT | TYPE | NO. | PRICE |
| 45 PC TAP AND ROUND ADJUSTABLE DIE SET | Each set contains one each NC and NF Plug Tap and Round Adjustable Die. SIZES: 1/4" to 1" | Right Hand | NC, NF | TRDS-CS-45 | 581.70 |
| | SIZES OF TAPS AND RO | UND ADJUS ⁻ | TABLE DI | ES IN SET | |
| | NC (Coarse) #6-32, #8-32, #10-24, # 7/16-14, 1/2-13, 9/16-1 | • | | 3/8-16, | |
| | NF (Fine) #10-32, 1/4-28, 5/16-24 | , 3/8-24, 7/16 | -20, 1/2-2 | 0, | |
| | 9/16-18,5/8-18, 3/4-16 | | | | |
| | DIE DIMENSI | ONS AND DI | E SIZES | | |
| | 1-1/2" Round Adjustable Dies | 1/4" to 5 | /8" | | |
| | 2" Round Adjustable Dies | 3/4" to 1 | II | | |
| | THREADIN | IG TOOLS IN | SET | | |
| | Adjustable Tap Wrench - #4 to 1/2" | T-Handle T | ap Wrench | n - #0 - 1/4" | |
| | Adjustable Tap Wrench - 1/4 to 3/4" | Screw Pitcl | n Gauge - | Fractional | |
| | Die Stock - 1" Round or Hex | Screwdrive | r - 1/8" x 2 | 2-1/4" Pocket Cl | lip |

Standard Packaging - 1 Ea. Box (Wt. 23.0 lbs.)

45 PC METRIC CARBON TAP AND ROUND ADJUSTABLE DIE SET

PLASTIC CASES

45 Piece Carbon Steel Metric Tap and Die Sets were originally designed to be a basic general purpose tap and die set for mechanics and DIY'ers for maintenance on foreign cars, motorcycles, and machines that were manufactured using the unified inch thread standard. Each set contains the most popular metric sizes (M6 to M24) that mechanics commonly use. Plastic case has individual compartments for tap and die storage and easy access. With the advent of world trade, this set is now a staple in every tool box and workshop.

| | | vornoriop: | | | | | |
|---|-------|--------------|---|--------------|------------|----------------|--------|
| | | | | | THREAD | ITEM | |
| ILLUSTRATION | | DES | SCRIPTION | CUT | TYPE | NO. | PRICE |
| 45 PC METRIC TAP AND ROUND ADJUSTABLE DIE SET | | Tap and Ro | ns one each NC and NF bund Adjustable Die. S: M6 to M24 | Right Hand | NC, NF | TRDS-CS-45M | 581.70 |
| | | 5 | SIZES OF TAPS AND RO | DUND ADJU | STABLE [| DIES IN SET | |
| | NC | (Coarse) | M6x1.00, M8x1.25, M1 | 0x1.50, M12 | x1.75, M1 | 4x2.00 | |
| | | | M16x2.00, M18x2.50, | M20x2.50, M | 22x2.50, 2 | 24x3.00 | |
| | NF | (Fine) | M6x0.75, M8x1.00, M | 10x1.25, M12 | x1.50, M1 | 14x1.50 | |
| | | | M16x1.50, M18x1.50, | M20x1.50, M | 22.0x1.50 | , M24x1.50 | |
| | | | DIE DIMENS | SIONS AND E | DIE SIZES | | |
| | 1-1/ | 2" Round | Adjustable Dies | M6 to I | V118 | | |
| | 2" F | Round Adju | stable Dies | M20 to | M24 | | |
| | | | THREADI | ING TOOLS I | N SET | | |
| | Adjus | stable Tap \ | Wrench - M6 to M18 | T-Handle | Γap Wrenc | ch - M6 to M12 | |
| | Die S | Stock Adapt | ter - 1-1/2" | Screwdrive | er | | |
| | Die S | Stock - 2" R | ound | | | | J |

18 PC TAP AND DRILL SETS

METAL INDEXES

| | THREAD | STYLE OF | | ITEM | PRICE |
|-------------------------|----------------------|---|----------------|---------------------|--------|
| ILLUSTRATION | FORM | TAPS | CHAMFER | NO. | EACH |
| 18 PC TAP AND DRILL SET | Coarse | HSS Spiral Point Tap | Plug | TDS-SPT-18C | 100.72 |
| 0 000 | Fine | HSS Spiral Point Tap | Plug | TDS-SPT-18F | 102.62 |
| | Metric | HSS Spiral Point Tap | Plug | TDS-SPTM-18M | 134.24 |
| | Coarse | TiN Coated Spiral Point Tap | Plug | TDS-SPTT-18C | 202.36 |
| XIX WANTED | Coarse | HSS Standard Hand Tap | Plug | TDS-SHT-18C | 93.66 |
| | Fine | HSS Standard Hand Tap | Plug | TDS-SHT-18F | 95.56 |
| Y / | Metric | HSS Standard Hand Tap | Plug | TDS-SHTM-18M | 110.90 |
| 7/ | Coarse | TiN Coated Std. Hand Tap | Plug | TDS-SHTT-18C | 189.10 |
| | | SIZES OF COARSE TAPS AND | DRILLS IN | 18 PC SETS | |
| | TAPS - #6-3 | 32, #8-32, #10-24, #10-32, 1/4-20, 5/16-1 | 8, 3/8-16, 7/1 | 6-14, 1/2-13 (COARS | E) |
| | DRILLS - #36, | #29, #25, #21, #7, "F", 5/16, "U", 27/64 | | | |
| | | SIZES OF FINE TAPS AND D | RILLS IN 18 | PC SETS | |
| | TAPS - #6-4 | 10, #8-36, #10-24, #10-32, 1/4-28, 5/16-2 | 4, 3/8-24, 7/1 | 6-20, 1/2-20 (FINE) | |
| | DRILLS - #33, | #29, #25, #21, #3, "I", "Q", 25/64, 29/64 | | | |
| | | SIZES OF METRIC TAPS AND | DRILLS IN 1 | 8 PC SETS | |
| | TAPS - M2 | 2.5x.45, M3.0x.50, M3.5x.60, M4.0x.70, N | 15.0x.80, M6.0 |)x1.00, | |
| | M8 | .0x1.25, M10.0x1.50, M12.0x1.75 | | | |
| | DRILLS - M2 | .05, M2.50, M2.90, M3.30, M4.20, M5.00 | , M6.70, M8.5 | 0, M10.20 (METRIC) | · |

TAP AND DRILL DISPENSER

| ILLUSTRATION | ITEM TYPE | ITEM NO. | EACH | | | |
|--------------------------------|---|----------|--------|--|--|--|
| 336 PC TAP AND DRILL DISPENSER | Dispenser Only (Wt. 10-1/2 lbs.) | D-TD-336 | 102.90 | | | |
| | DISPENSER WILL HOLD 12 EACH OF FOLLOWING | | | | | |
| | TAPS - #6-32, #8-32, #10-24, #10-32, 1/4-20, 1/4-28, 5/16-18, 5/16-24 | | | | | |
| | 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2-20 | | | | | |
| | DRILLS - #36, #29, #25, #21, #7, #3, "F", "I", 5/16, "Q", "U", 25/64, 27/64, 29/64 | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Size: 7-3/8 x 7-3/4 x 14-5/8 | | | | | | |

TAP DISPENSERS

| ILLUSTRATION | CAPACITY | ITEM NO. | EACH |
|------------------------------|--|----------|--------|
| TAP DISPENSER | Holds fractional sizes 1/4-20 to 1-14 (Wt. 10-1/2 lbs.) | TD-FRACT | 106.42 |
| | Holds machine screw sizes 2-56 to 12-28 (Wt. 13 lbs.) | TD-MACH | 131.62 |
| | Holds metric sizes M3 to M24 (Wt. 10-1/2 lbs.) Note: Dispenser will hold up to | TD-MM | 106.42 |
| | 12 each of every size. | | |
| Size: 7-3/8 x 7-3/4 x 14-5/8 | | | |

21 PC TAP AND ROUND ADJUSTABLE DIE SETS

WOODEN CASES

| ILLUSTRATION | DESCRIPTION | STEEL SPEC | CUT | THREAD TYPE | ITEM NO. | PRICE |
|---------------------|--|---------------|------------|----------------|---------------|--------|
| 21 PC TAP AND ROUND | 21 PC Tap and 1-1/2" | HSS | Right Hand | Coarse | TRDS-SHT-21C | 530.32 |
| ADJUSTABLE DIE SET | Round Adjustable Die | HSS | Right Hand | Fine | TRDS-SHT-21F | 530.32 |
| | Set. Each set contains | HSS | Left Hand | Coarse | TRDS-SHTL-21C | 558.14 |
| | one Plug Tap and Round Adjustable Die in | HSS | Left Hand | Fine | TRDS-SHTL-21F | 558.14 |
| | NC or NF Thread Form. | TiN * | Right Hand | Coarse | TRDS-SHTT-21C | 606.32 |
| | Sizes are listed below. | TiN * | Right Hand | Fine | TRDS-SHTT-21F | 606.32 |
| | Set also includes 5 | | | | | |
| | threading tools. | | | | | |
| | SIZES OF TAPS AND ROUND DIES IN SET | | | | | |
| | NC (Coarse) - 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10 NF (Fine) - 1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/2-20, 9/16-18, 5/8-18, 3/4-16 * Only taps are TiN Coated in set. THREADING TOOLS IN SET | | | | | 10 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | Adjustable Die Stock - 1-1/2" round T-Handle Tap Wrench - 1/4 to 1/2 | | | | | |
| | Adjustable Tap Wrench - 1/4 to 1 #5 Screwdriver | | | | | |
| Sizes: 1/4 to 3/4 | Screw Pitch Gauge - Fractional | | | | | |

21 PC METRIC TAP AND ROUND ADJUSTABLE DIE SET

WOODEN CASES

| ILLUSTRATION | DESCRIPTION | STEEL SPEC | CUT | THREAD TYPE | ITEM NO. | PRICE |
|--|---|---------------|---------------------------------|------------------|---------------|--------|
| 21 PC TAP AND ROUND ADJUSTABLE DIE SET | 21 PC Tap and 1-1/2" Metric Round Adjustable Die Set. Each set contains one Plug Tap and Round Adjustable Die. Sizes are listed below. Set also includes 5 threading tools. | HSS | Right Hand | Metric Coarse | TRDS-SHTM-21C | 582.10 |
| | SIZES OF TAPS AND ROUND DIES IN SET | | | | | |
| | NC (Coarse) - M6.0 x 1.0, M8.0 x 1.25, M10.0 x 1.5, M12.0 x 1.75, M14.0 x 2.0, | | | | | |
| | M16.0 x 2.0, M18.0 x 2.5, M20.0 x 2.50 | | | | | |
| | THREADING TOOLS IN SET | | | | | |
| | Adjustable Die Stock - 1-1/2" round | | T-Handle Tap Wrench - M6 to M12 | | | |
| | Adjustable Tap Wrench - M6 to M24 | | #5 Screwdriver | | | |
| Sizes: M6 to M20 | Screw Pitch Gauge - Me | etric | | | | |

NOTE: Special boxed sets can be made to your requirements.

54 PC AUTOMOTIVE RETHREADING TAP & DIE SET

PLASTIC CASES

| | | | THREAD | ITEM | | |
|---|--|-----------------|-------------|----------|--------|--|
| ILLUSTRATION | DESCRIPTION | CUT | TYPE | NO. | PRICE | |
| 54 PC AUTOMOTIVE RETHREADING TAP & DIE SET | Each set contains one each NC & NF fractional & metric automotive rethreading taps and hex dies. Set also includes 3 thread restoring files. | Right Hand | NC & NF | ARTDS-54 | 123.90 | |
| ICS Cutting Tools, Inc. | SIZES OF AUTOMOTIVE | RETHREADIN | NG TAPS II | N SET | | |
| | NC-USS (Coarse) - 1/4-20, 5/16-18, 3/8-16, 7, NF-SAE (Fine) - 1/4-28, 5/16-24, 3/8-24, 7/ | , | • | | | |
| | METRIC - 6x1.0, 8x1.25, 8x1.50, 10x | | | 11x1.50, | | |
| # 3 8 = 8 = | 12x1.25, 12x1.50, 12x1.75 | , 14x1.50 | | | | |
| 38 6 6 | SIZES OF AUTOMOTIVE | RETHREADI | NG DIES IN | N SET | | |
| | NC-USS (Coarse) - 1/4-20, 5/16-18, 3/8-16, 7 | /16-14, 1/2-13 | 3, 9/16-12, | 5/8-11 | | |
| | NF-SAE (Fine) - 1/4-28, 5/16-24, 3/8-24, 7/ | , | | | | |
| | METRIC - 6x1.00, 6x1.25, 7x1.00, 8x | | | | | |
| | 10x1.25, 10x1.50, 11x1.50, 12x1.25, 12x1.50, 12x1.75, 14x1.50 | | | | | |
| | THREAD RESTORING FILES IN SET | | | | | |
| | Regular File for - 11, 12, 13, 14, 16, 18, 20, | | | | | |
| 1/4 to 5/8 | Metric File for80, 1.00, 1.25, 1.50, 1.75, | | | per inch | | |
| M6 to M14 | Fine/Pipe File for - 8, 9, 10, 11-1/2, 20, 27, 28 | 3, 32 threads p | per inch | | | |

18 PC THREAD RESTORING FILE & AUTOMOTIVE DIE SETS

PLASTIC CASES

| | | | THREAD | ITEM | · | | |
|--|--|-------------------------|--------------------|------|----------------|--|--|
| ILLUSTRATION | DESCRIPTION | CUT | TYPE | NO. | PRICE | | |
| 18 PC AUTOMOTIVE FILE & AUTOMOTIVE DIE SET | Each set contains one each NC & NF fractional automotive hexagon rethreading dies. Set also includes 2 thread restoring files. | Right Hand Left Hand | NC & NF NC & NF | | 50.40 80.14 | | |
| | SIZES OF AUTOMOTIVE RETHREADING DIES IN SET | | | | | | |
| | NC-USS (Coarse) - 1/4-20, 5/16-18, 3/8-16, 7/16-14, 1/2-13, 9/16-12, 5/8-11, 3/4-10 NF-SAE (Fine) - 1/4-28, 5/16-24, 3/8-24, 7/16-20, 1/3-20, 9/16-18, 5/8-18, 3/4-16 | | | | | | |
| | THREAD RESTORING FILES IN SET | | | | | | |
| 0000000 | Regular File for - 11, 12, 13, 14, 16, 18, 20, 24 threads per inch | | | | | | |
| | Extra Fine/Coarse File for - 9, 10, 12, 16, 20, 27, 28, 32 threads per inch | | | | | | |
| | AVAILABLE IN RIGHT | OR LEFT HA | ND THREA | AD | | | |

13 PC METRIC THREAD RESTORING FILE & AUTOMOTIVE DIE SET

PLASTIC CASES

| | | | | THREAD | ITEM | | |
|---|--|---|----------------|-------------|------------|-------|--|
| ILLUSTRATION | | DESCRIPTION | CUT | TYPE | NO. | PRICE | |
| 13 PC AUTOMOTIVE FILE & AUTOMOTIVE DIE SET | | tains one each metric exagon rethreading dies and one restoring file. | Right Hand | Metric | TRFADS-13M | 37.28 | |
| KS Catting Tools, Inc. | SIZES OF AUTOMOTIVE RETHREADING DIES IN SET | | | | | | |
| | METRIC - 6x1.0, 6x1.25, 8x1.00, 8x1.25, 8x1.50, 10x1.00, 10x1.25, - 10x1.50, 12x1.25, 12x1.50, 14x1.25, 14x1.50 | | | | | | |
| | THREAD RESTORING FILES IN SET | | | | | | |
| · · · · · · · · · · · · · · · · · · · | Metric File f | for80, 1.00, 1.25, 1.50, 1.75, 2. | 00, 2.50, 3.00 |) threads p | er inch | | |

HIGH SPEED STEEL

30 PC MINIATURE TAP AND ROUND DIE SET

PLASTIC CASE

30 piece High Speed Steel Machine Screw Size Miniature Tap and Die Sets are designed to be a professional general purpose tap and die set with all the most popular tap and die machine screw sizes (#0 to #4-40) for use by camera repair shops, clock repair shops, model builders, jewelry manufacturers, business machine repair, electronic equipment, mold and die makers, medical equipment repair, fishing lure manufacturers, and tongue and body piercing. Plastic case has individual compartments for tap and die storage and easy access.

| | | STEEL | | THREAD | ITEM | |
|---------------------------------------|--|-------|-------|---------------|----------|-------|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | TYPE | NO. | PRICE |
| 30 PC MINIATURE | Each set contains 2 plug taps and 1 round | HSS | Right | NC, NF | MTRDS-30 | 40.96 |
| MACHINE SCREW SIZE | die for every size. Set also includes multi- | | Hand | UM | | |
| TAP AND ROUND DIE SET | size tap and die holder. | | | | | |
| | SIZES OF TAPS AND ROUND DIES IN SET | | | | | |
| 19 14 | NC (Coarse) #0-80, #1-64, #2-56, #3-48 | • | | | | |
| M M M M M M M M M M M M M M M M M M M | NF (Fine) #0-90, #1-72, #2-64, #3-56 | 3 | | | | |
| | TAP AND ROUND DIE HOLDER IN SET | | | | | |
| WWWWWWWW (A & & & A | Multi-Size Tap and Die Holder holds 5/8 or 7/16 round dies and has two collet guides for holding taps. Both taps and dies lock into position with one screw. | | | | | |

HIGH SPEED STEEL

30 PC METRIC MINIATURE TAP AND ROUND DIE SET

PLASTIC CASE

30 piece High Speed Steel Metric Size Miniature Tap and Die Sets are designed to be a professional general purpose tap and die set with all the most popular tap and die metric sizes (M1.00 to M2.50) for use by camera repair shops, clock repair shops, model builders, jewelry manufacturers, business machine repair, electronic equipment, mold and die makers, medical equipment repair, fishing lure manufacturers, and tongue and body piercing. Plastic case has individual compartments for tap and die storage and easy access.

| | | STEEL | | THREAD | ITEM | | |
|---------------------------------------|--|----------|----------|----------|-----------|-------|--|
| ILLUSTRATION | DESCRIPTION | SPEC | CUT | TYPE | NO. | PRICE | |
| 30 PC MINIATURE METRIC | Each set contains 2 plug taps and 1 | HSS | Right | NC, NF | MTRDS-30M | 40.96 | |
| TAP AND ROUND DIE SET | round die for every size. Set also includes | | Hand | UM | | | |
| | multi-size tap and die holder. | | | | | | |
| | SIZES OF TAPS AND ROUND DIES IN SET | | | | | | |
| 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | METRIC SIZES M1.0x0.25, M1.1x0.25, M1.2x0.25, M1.4x0.30, M1.6x0.35 | | | | | | |
| | M1.8x0.35, M2.0x0.4 | 0, M2.2x | 0.45, M2 | 2.5x0.45 | | | |
| TAP AND ROUND DIE HOLDER IN SET | | | | | | | |
| | Multi-Size Tap and Die Holder holds 5/8 or 7/16 round dies and has two collet guides for holding taps. Both taps and dies lock into position with one screw. | | | | | | |

5 PC MODEL AIRPLANE TAP SETS

PLASTIC CASE

Model Airplane Tap Sets were designed for the model airplane enthusiast. Available in High Speed Steel or Carbon Steel, each set contains the most popular tap sizes (#2-56 to #8-32) that model airplane builders use. Plastic case has individual compartments for tap storage and easy access.

| | | STEEL | THREAD | ITEM | | |
|---------------------|--------------------------------------|------------------|--------|-----------|-------|--|
| ILLUSTRATION | DESCRIPTION | SPEC | TYPE | NO. | PRICE | |
| 5 PC MODEL AIRPLANE | Each set contains one each of listed | Carbon Steel | NC | MATS-CS-5 | 22.06 | |
| TAP SET | NC (Coarse) tap sizes. | High Speed Steel | NC | MATS-HS-5 | 30.46 | |
| 1111 | SIZES OF TAPS IN SET | | | | | |
| | NC (Coarse) #2-56, #3-48, #4- | 40, #6-32, #8-32 | | | | |

8 PC RATCHETING PIPE THREADER SET

PLASTIC CASE

The 8 Piece Ratcheting Pipe Threader Set was designed to cut precision NPT pipe threads measuring 3/8", 1/2", 3/4", 1", or 1-1/4". It is a compact and sturdy set complete with unscrewable ratchet handle and extension. Die heads snap in and can be removed by pulling the ratchet knob out to position. Ratchet knob can be set for forward or reverse direction. Tools in set are made of alloy steel and malleable iron to withstand severe usage. Set comes complete with heavy duty plastic case with carrying handle for easy transportation and storage.

| ILLUSTRATION | THREADING TOOLS IN SET | THREAD FORM | ITEM NO. | PRICE |
|-------------------|-------------------------------------|-------------|----------|-------|
| 8 PC RATCHETING | Die Heads 3/8, 1/2, 3/4, 1, & 1-1/4 | NPT | RPTS-8 | 96.92 |
| PIPE THREADER SET | Ratchet Head (Exposed Style) | | | |
| | Ratchet Handle | | | |
| | Ratchet Handle Extension | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

7 PC RATCHETING PIPE THREADER SET

PLASTIC CASE

The 7 Piece Ratcheting Pipe Threader Set was designed to cut large precision NPT pipe threads measuring 1-1/4", 1-1/2" and 2". It is a compact and sturdy set complete with unscrewable ratchet handle and extension. Die heads snap in and can be removed by pulling the ratchet knob out to position. Ratchet knob can be set for forward or reverse direction. Tools in set are made of alloy steel and malleable iron to withstand severe usage. Set comes complete with heavy duty plastic case with carrying handle for easy transportation and storage.

| ILLUSTRATION | THREADING TOOLS IN SET | THREAD FORM | ITEM NO. | PRICE |
|--------------------------------------|---|-------------|----------|--------|
| 7 PC RATCHETING PIPE THREADER SET | Die Heads 1-1/4, 1-1/2, & 2 | NPT | RPTS-7 | 101.80 |
| THE THIRD BETTOET | Ratchet Head (Exposed Style) Ratchet Handle | | | |
| | Ratchet Handle Extensions (2) | | | |
| | | | | |

5 PC RATCHETING TAP AND DIE TOOL SET

STEEL CASE

The 5 Piece Ratcheting Tap and Die Tool Sets are designed to be a professional general purpose tap and die tool set for mechanics and DIYers for maintenance on domestic cars and motorcycles. Each set contains the most popular tap sockets (#6 to 1/2") and 1" hex die adapter with ratcheting handle. Steel case has individual compartments for ratcheting tap and die tools storage and easy access.




THREAD BOX AND TAP SETS


ICS USA

SPECIAL PURPOSE


Thread Box and Tap Sets are designed to make sure-holding threads on wood dowels and matching thread hole in wood. Handy set for woodworking and maintenance departments. Each wood threading set contains thread box and matching tap. Handy for threading, rethreading or tapping many wood furnishings. Perfect for the DIYer.




| FOR USE WITH | SET CONTAINS | ITEM NO. | PRICE |
|----------------|----------------------------|----------|-------|
| 1/2" Dowel Rod | 1 each: tap and thread box | WTS032 | 48.30 |
| 3/4" Dowel Rod | 1 each: tap and thread box | WTS048 | 51.82 |
| 1" Dowel Rod | 1 each: tap and thread box | WTS100 | 55.24 |



1. Threading and/or tapping wooden lamps.



2. Threading and/or tapping stools and chairs.



3. Threading or rethreading broomstick/mop handles.

CARBIDE TIPPED BORING BAR SETS

WOOD STAND


| ILLUSTRATION | DESCRIPTION | ITEM NO. | PRICE |
|--------------|----------------------------|------------|--------|
| | 9 PC SET - 3/8" SHANK | CTBBS-A-9 | 45.08 |
| | Carbid Tipped Boring Bars | | |
| | 9 PC SET - 1/2" SHANK | CTBBS-B-9 | 59.32 |
| | Carbide Tipped Boring Bars | | |
| | 12 PC SET - 5/8" SHANK | CTBBS-C-12 | 104.46 |
| | Carbide Tipped Boring Bars | | |
| | 12 PC SET - 3/4" SHANK | CTBBS-D-12 | 137.94 |
| | Carbide Tipped Boring Bars | | |
| | 7 PC SET - 1" SHANK | CTBBS-E-7 | 183.96 |
| | Carbide Tipped Boring Bars | | |

MINI TOOLHOLDER & BORING BAR SET

ICS EUR

SPECIAL PURPOSE

PRECISION GROUND





| ILLUSTRATION | DESCRIPTION | ITEM NO. | PRICE |
|--------------|---|-------------|--------|
| | MECHANIC'S HOLE SAW KIT - 1 ea. 7/8, 1, 1-1/8, 1-1/4, | HSK-BM-06M | 81.78 |
| ICS | 1-1/2 Hole Saws, HSM-6 Arbor. | | |
| | MAINTENANCE HOLE SAW KIT - 1 ea. 3/4, 7/8, 1-1/8, 1-3/8, | HSK-BM-13M | 216.86 |
| | 1-1/2, 1-3/4, 2, 2-1/4, 2-1/2 Hole Saws, HSM-3, HSM-4, HSM-6 | | |
| | Arbors and 12" extension. | | |
| | PLUMBER'S HOLE SAW KIT - 1 ea. 3/4, 7/8, 1-1/8, 1-1/2, | HSK-BM-09P | 146.24 |
| | 1-3/4, 2-1/4 Hole Saws, HSM-3 and HSM-4 Arbors, | | |
| | and HSPD-3S Pilot Drill. | | |
| | ELECTRICIAN'S HOLE SAW KIT - 1 ea. 7/8, 1-1/8, 1-3/8, | HSK-BM-09E | 159.52 |
| | 1-3/4, 2, 2-1/2 Hole Saws, HSM-3 and HSM-4 Arbors, | | |
| | and HSPD-3S Pilot Drill. | | |
| | METRIC | | |
| | MECHANIC'S METRIC HOLE SAW KIT - 1 ea. 22mm, | HSK-BMM-06M | 81.78 |
| | 25mm, 29mm, 32mm, 38mm Hole Saws, HSM-6 Arbor. | | |
| | MAINTENANCE METRIC HOLE SAW KIT - 1 ea. 19mm, 22mm, | HSK-BMM-13M | 216.86 |
| | 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm Hole Saws, | | |
| | HSM-3, HSM-4, HSM-6 Arbors and 12" extension. | | |
| | PLUMBER'S METRIC HOLE SAW KIT - 1 ea. 19mm, 22mm, | HSK-BMM-09P | 146.24 |
| | 29mm, 38mm, 44mm, 57mm Hole Saws, | | |
| | HSM-3 and HSM-4 Arbors, and HSPD-3S Pilot Drill. | | |
| | ELECTRICIAN'S METRIC HOLE SAW KIT - 1 ea. 22mm, | HSK-BMM-09E | 159.52 |
| | 29mm, 35mm, 44mm, 51mm, 64mm Hole Saws, | | |
| | HSM-3 and HSM-4 Arbors, and HSPD-3S Pilot Drill. | | |

(M3) BI-METAL

HOLE SAW KITS (BUILT-IN ARBOR)

PLASTIC CASES

| ILLUSTRATION | DESCRIPTION | ITEM NO. | PRICE |
|-------------------|---|--------------|--------|
| | MECHANIC'S HOLE SAW KIT - 1 ea. 7/8, 1, 1-1/8, 1-1/4, | HSK-BMA-06 | 87.02 |
| ICS | 1-1/2 Hole Saws, and 1 Pilot Drill | | |
| | ELECTRICIAN'S HOLE SAW KIT - 1 ea. 7/8, 1-1/8, 1-3/8, | HSK-BMA-09E | 122.80 |
| | 1-3/4, 2, 2-1/2 Hole Saws, and 3 Pilot Drills | | |
| | | | |
| | PLUMBER'S HOLE SAW KIT - 1 ea. 3/4, 7/8, 1-1/8, 1-1/2, | HSK-BMA-09P | 116.50 |
| 11/0 100 000 0000 | 1-3/4, 2-1/4 Hole Saws, and 3 Pilot Drills | | |
| | | | |
| | MAINTENANCE HOLE SAW KIT - 1 ea. 3/4, 7/8, 1-1/8, 1-3/8, | HSK-BMA-15M | 201.78 |
| | 1-1/2, 1-3/4, 2, 2-1/4, 2-1/2 Hole Saws, 4 Pilot Drills, 12" Extension, | | |
| | and 1 Screwdriver | | |
| | METRIC | | |
| | MECHANIC'S METRIC HOLE SAW KIT - 1 ea. 22mm, | HSK-BMMA-06 | 87.02 |
| | 25mm, 29mm, 32mm, 38mm Hole Saws | | |
| | MAINTENANCE METRIC HOLE SAW KIT - 1 ea. 19mm, 22mm, | HSK-BMMA-15M | 216.86 |
| | 29mm, 35mm, 38mm, 44mm, 51mm, 57mm, 64mm Hole Saws, | | |
| | 12" Extension and HSPD-3S Pilot Drills. | | |
| | PLUMBER'S METRIC HOLE SAW KIT - 1 ea. 19mm, 22mm, | HSK-BMMA-09P | 146.24 |
| | 29mm, 38mm, 44mm, 57mm Hole Saws, and HSPD-3S Pilot Drill. | | |
| | ELECTRICIAN'S METRIC HOLE SAW KIT - 1 ea. 22mm, | HSK-BMMA-09E | 159.52 |
| | 29mm, 35mm, 44mm, 51mm, 64mm Hole Saws, and HSPD-3S Pilot Drill. | | |



| ILLUSTRATION | DESCRIPTION | ITEM NO. | PRICE |
|--------------|---|------------|--------|
| | MAINTENANCE CARBIDE TIPPED HOLE SAW KIT | HSK-CT-13M | 294.00 |
| | 1 ea. 3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 1-3/4, 2 | | |
| | 2-1/4, 2-1/2 Hole Saws. | | |
| | HSM-3, HSM-4, HSM-6 Arbors and 12" extension. | | |
| | | | |
| | | | |
| Trans. | | | |

CARBIDE GRIT EDGED HOLE SAW KITS

PLASTIC CASES

| ILLUSTRATION | DESCRIPTION | ITEM NO. | PRICE |
|--------------|---|------------|--------|
| | MECHANIC'S CARBIDE GRIT EDGED HOLE SAW KIT | HSK-CE-06M | 224.88 |
| ICS | 1ea. 7/8, 1, 1-1/8, 1-1/4, 1-1/2 Hole Saws, HSM-6 Arbor. | | |
| | MAINTENANCE CARBIDE GRIT EDGED HOLE SAW KIT | HSK-CE-13M | 511.84 |
| | 1 ea. 3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 1-3/4, 2, 2-1/4, 2-1/2 | | |
| | Hole Saws, HSM-3, HSM-4, HSM-6 Arbors and 12" Extension | | |
| | PLUMBER'S CARBIDE GRIT EDGED HOLE SAW KIT | HSK-CE-09P | 331.34 |
| | 1 ea. 3/4, 7/8, 1-1/8, 1-1/2, 1-3/4, 2-1/4 Hole Saws, HSM-3 | | |
| | and HSM-4 Arbors, and HSPD-3S Pilot Drill. | | |
| | ELECTRICIAN'S CARBIDE GRIT EDGED HOLE SAW KIT | HSK-CE-09E | 357.68 |
| | 1 ea. 7/8, 1-1/8, 1-3/8, 1-3/4, 2, 2-1/2 Hole Saws, HSM-3 and | | |
| | HSM-4 Arbors, and HSPD-3S Pilot Drill. | | |

CARBIDE TIPPED HOLE CUTTER KIT

| DESCRIPTION | ITEM NO. | PRICE |
|--|------------|--------|
| Electrician's Carbide Tipped Hole Cutter Set | HCS-CT-06E | 369.60 |
| 1 each: 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2" Packaged in a plastic case. | | |


FILE SETS (AMERICAN PATTERN)

VINYL POUCHES

| | LENGTH | | | PRICE | |
|---------------|----------------------|-----------|-------------------|---------|--|
| DESCRIPTION | INCH | CUT | ITEM NO. | PER SET | |
| 6 PC FILE SET | 4 | | FS-AP-4 | 25.46 | |
| | 6 | Bastard | FS-AP-6 | 27.40 | |
| | 8 | | FS-AP-8 | 37.32 | |
| | | TYPE OF F | FILES IN 6 PC SET | | |
| | 1 - Three Sqւ | ıare | 1 - Flat Taper | | |
| | 1 - Square 1 - Round | | 1 - Round | | |
| | 1 - Flat Hand | | 1 - Half Round | | |

NEEDLE FILE SETS

VINYL POUCHES



DIAMOND COATED NEEDLE FILE SET

VINYL POUCH

| DESCRIPTION | OVERALL LENGTH | LENGTH OF CUT | GRIT | ITEM NO. | PRICE PER SET |
|-----------------------|-------------------|------------------|------|--------------|------------------|
| 10 PC NEEDLE FILE SET | 4 | 1-1/2 | 12 | DCNFS-SP-10 | 25.88 |
| (Diamond Coated) | CONTENTS OF SET | | | | |
| | 1 - | - Round | | 1 - Crossing | |
| | 1 - Half Round | | | 1 - Equaling | |
| | 1 - Square | | | 1 - Barrette | |
| | 1 - | - Three Squar | e | 1 - Marking | |
| | 1 - Flat | | | 1 - Slitting | |
| | | | | | |

PRECISION (SWISS PATTERN) FILE SET

VINYL POUCH



RIFFLER (SWISS PATTERN) RASP SET

VINYL POUCH

| | LENGTH | | | PRICE |
|-----------------------|--------------------------------------|------|--------------------------------------|------------------|
| DESCRIPTION | INCH | CUT | ITEM NO. | PER SET |
| 8 PC RIFFLER RASP SET | 7-1/2 | Rasp | RRS-SP-8 | 34.36 |
| | One each of eight dif and sculpting. | | ENTS OF SET Riffler Rasps for woodwo | orking, carving, |

EXTERNAL THREAD RESTORING FILE SETS

VINYL POUCHES


| DESCRIPTION | FILES IN SET | ITEM NO. | PRICE |
|--|--|----------|-------|
| 6PC EXTERNAL THREAD RESTORING FILE SET | ETRF-R ETRF-X ETRF-M ETRF-P4 ETRF-P4L UTRF | ETRFS-6 | 68.26 |
| 4PC EXTERNAL THREAD RESTORING FILE SET | ETRF-R | ETRFS-4U | 35.70 |
| 3 each EXTERNAL THREAD FILES | ETRF-M | | |
| 1 UNIVERSAL THREAD FILE | ETRF-P4 | | |
| (NOT ILLUSTRATED) | UTRF | | |
| 3PC EXTERNAL THREAD RESTORING FILE SET | ETRF-R | ETRFS-3 | 34.66 |
| 3 each EXTERNAL THREAD FILES | ETRF-X | | |
| (NOT ILLUSTRATED) | ETRF-M | | J |

SOLID CARBIDE BUR SETS

ICS USA

WOODEN BOXES

CNC GROUND



| DESCRIPTION | SIZE / TYPE OF BUR | SHANK | CUT | ITEM NO. | PRICE |
|--------------------|--|---------------|-------------|-----------------------|--------|
| 8 PC | Reg. Sizes-Solid Carbide | 1/4 | Double | SCBSW-SCB-8 | 312.22 |
| BUR SETS | Reg. Sizes-Solid Carbide-TiN Coated | 1/4 | Double | SCBSW-SCBT-8 | CALL |
| | SIZES O | F BURS IN SE | TS | | |
| 1/4" SHANK | SA-5, SC-3, SC-5, SD-5, SF-3, SF-5, SG-3, SL-4 | 4 | | | |
| | | | | | |
| 8 PC | Reg. Sizes-NF Solid Carbide | 1/4 | NF | SCBSW-NF-8 | 385.64 |
| NF BUR SETS | Reg. Sizes-NF Solid Carbide-ZrN Coated | 1/4 | NF | SCBSW-NFZ-8 | 430.22 |
| | SIZES O | F BURS IN S | ETS | | |
| 1/4" SHANK | SA-5, SC-3, SC-5, SD-5, SF-3, SF-5, SE-5, SL-4 | 4 | | | |
| | | | | | |
| 16 PC | Reg. Sizes-Solid Carbide | 1/4 | Double | SCBSW-SCB-16 | 449.54 |
| BUR SETS | Reg. Sizes-Solid Carbide-TiN Coated | 1/4 | Double | SCBSW-SCBT-16 | 490.62 |
| | | F BURS IN S | | | |
| 1/4" SHANK | SA-1, SA-3, SA-5, SC-1, SC-3, SC-5, SD-3, SD- | -5, SE-3, SF- | 1, SF-3, SF | -5, SG-1, SG-3, SL-3, | SL-4 |
| | | 0//0 | | 22721111212 | 400.00 |
| 8 PC BUR SETS | #81 Sizes-Solid Carbide | 3/16 | Double | SCBSW #81-8 | 139.06 |
| BontoEio | #81 Sizes-Solid Carbide-TiN Coated | 3/16 | Double | SCBSW #81T-8 | 167.66 |
| 0/4011 01 14 14 14 | | F BURS IN S | | | |
| 3/16" SHANK | SA #81, SC #81, SD #81, SE #81, SF #81, SG #8 | 81, SL #81, S | IN #8 I | | |
| 9 PC | #51 Sizes-Solid Carbide | 1/8 | Double | SCBSW #51-9 | 142.60 |
| BUR SETS | #51 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBSW #51T-9 | 169.68 |
| | | F BURS IN S | | CODOW MOTT O | 100.00 |
| 1/8" SHANK | SA #51, SB #51, SC #51, SD #51, SE #51, SF #5 | | | #51 | |
| ., 6 61 11 11 11 | | ., | | | |
| 12 PC | #52/#53 Sizes-Solid Carbide | 1/8 | Double | SCBSW #52-12 | 260.02 |
| BUR SETS | #52/#53 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBSW #52T-12 | 296.14 |
| | SIZES O | F BURS IN S | ETS | | |
| 1/8" SHANK | SA #52, SA #53, SC #52, SC #53, SD #53, SE #53 | , SF #53, SG | #53, SH #53 | 3, SL #53, SM #53, SN | #53 |
| | | | | | |
| 12 PC | #41-#43 Sizes-Solid Carbide | 1/8 | Double | SCBSW #41-12 | 119.64 |
| BUR SETS | #41-#43 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBSW #41T-12 | 147.86 |
| | SIZES O | F BURS IN S | ETS | | |
| 1/8" SHANK | SA #52, SA #53, SC #52, SC #53, SD #53, SE #53 | , SF #53, SG | #53, SH #53 | 3, SL #53, SM #53, SN | #53 |
| | | | | | |
| 9 PC | #61-#63 Sizes-Solid Carbide | 3/32 | Double | SCBSW #61-9 | 105.52 |
| BUR SETS | #61-#63 Sizes-Solid Carbide-TiN Coated | 3/32 | Double | SCBSW #61T-9 | 126.70 |
| | SIZES O | F BURS IN S | ETS | | |
| 3/32" SHANK | SA #61, SA #63, SC #61, SD #61, SE #61, SF #6 | 81, SG #61, S | M #61, SN | #61 | |

SOLID CARBIDE BUR SETS

ICS USA

METAL INDEXES

CNC GROUND



| DESCRIPTION | SIZE / TYPE OF BUR | SHANK | CUT | ITEM NO. | PRICE |
|-------------|---|-------------|------------|------------------------|--------|
| 8 PC | Reg. Sizes-Solid Carbide | 1/4 | Double | SCBS-SCB-8 | 235.38 |
| BUR SETS | Reg. Sizes-Solid Carbide-TiN Coated | 1/4 | Double | SCBS-SCBT-8 | 442.24 |
| | SIZES OF E | URS IN S | ETS | | |
| 1/4" SHANK | SA-5, SC-3, SC-5, SD-5, SF-3, SF-5, SG-3, SL-4 | | | | |
| | | | | | |
| 8 PC | Reg. Sizes-NF Solid Carbide | 1/4 | Double | SCBS-SCBNF-8 | 370.72 |
| NF BUR SETS | Reg. Sizes-NF Solid Carbide-TiN Coated | 1/4 | Double | SCBS-SCBNFZ-8 | 418.14 |
| | SIZES OF E | SURS IN S | ETS | | |
| 1/4" SHANK | SA-5, SC-3, SC-5, SD-5, SE-5, SF-3, SF-5, SL-4 | | | | |
| | | | | | |
| 11 PC | Reg. Sizes-Solid Carbide | 1/4 | Double | SCBS-SCB-11 | 300.60 |
| BUR SETS | Reg. Sizes-Solid Carbide-TiN Coated | 1/4 | Double | SCBS-SCBT-11 | 345.82 |
| | SIZES OF E | URS IN S | ETS | | |
| 1/4" SHANK | SA-3, SA-5, SC-3, SC-5, SD-3, SD-5, SE-3, SF-3, S | SF-5, SL-3 | 3, SL-4 | | |
| | | | | | |
| 9 PC | #51 Sizes-Solid Carbide | 1/8 | Double | SCBS #51-9 | 138.26 |
| BUR SETS | #51 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBS #51T-9 | 165.36 |
| | SIZES OF E | URS IN S | ETS | | |
| 1/8" SHANK | SA #51, SB #51, SC #51, SD #51, SE #51, SF #51, | SG #51, S | SM #51, SN | #51 | |
| | | | | | |
| 13 PC | #52-#53 Sizes-Solid Carbide | 1/8 | Double | SCBS #52-13 | 275.88 |
| BUR SETS | #52-#53 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBS #52T-13 | 315.02 |
| | SIZES OF E | URS IN S | ETS | | |
| 1/8" SHANK | SA #52, SA #53, SC #52, SC #53, SD #52, SD #53, SE #5 | 53, SF #53, | SG #53, SH | #53, SL #53, SM #53, S | SN #53 |
| | | | | | |
| 13 PC | #41-#43 Sizes-Solid Carbide | 1/8 | Double | SCBS #41-13 | 123.62 |
| BUR SETS | #41-#43 Sizes-Solid Carbide-TiN Coated | 1/8 | Double | SCBS #41T-13 | 154.18 |
| | SIZES OF E | BURS IN S | ETS | | |
| 1/8" SHANK | SA #42, SA #43, SC #41, SC #42, SD #42, SE #41, SF #4 | 12, SG #43, | SH #41, SJ | #42, SL #53, SM #53, S | 5N #53 |

ICS CUTTING TOOLS, INC 511 MAIN STREET • CASCO, WI 54205-0125 USA







SCAN TO OPEN THE WEBSITE

